



Texas Outpatient Surgical and Radiological Procedure Data

Public Use Data File

**Data Dictionary
2011**

BACKGROUND

The Texas Department of State Health Services is responsible, under Sections 108.011 through 108.0135, Texas Health and Safety Code (THSC), for collecting data on outpatient surgical and radiological services from hospitals and ambulatory surgery centers except those that are statutorily exempt from the reporting requirement. Exempt facilities include those located in a county with a population less than 35,000, or those located in a county with a population more than 35,000 and with fewer than 100 licensed hospital beds and not located in an area that is delineated as an urbanized area by the United States Bureau of the Census (Section 108.0025). Exempt hospitals also include hospitals that do not seek insurance payment or government reimbursement (Section 108.009).

PUBLIC USE DATA FILE (PUDF)

Sections 108.011(a) and 108.012 of the THSC requires DSHS to provide public use data for computer-to-computer access. It also permits DSHS to charge the data requestor a standard fee for using the Public Use Data File (PUDF). The PUDF contains patient-level information for outpatient surgical and radiological services. These data are extracted from DSHS's outpatient services database.

PATIENT/PHYSICIAN CONFIDENTIALITY

The legislative intent behind the creation of the Hospital Discharge Database (HDD) was that the data and resulting information be used for the benefit of the public. This is specified in Section 108.013 of the Texas Health and Safety Code (THSC). The THSC also stipulates that DSHS may not release and a person or entity may not gain access to any data that could reasonably be expected to reveal the identity of a patient or physician. Any effort to determine the identity of any person violates the THSC. In addition, under Section 108.013(e) and (f) of the THSC, patient and/or physician information in the HDD cannot be used for discovery, subpoena, or other means of legal compulsion or in any civil, administrative, or criminal proceeding. Pursuant to the THSC, DSHS excludes all direct personal and demographic identifiers (e.g., name, address, social security number, patient identifiers, admission and discharge dates) that might lead to the identification of a specific patient from the PUDF.

To protect patient identities, DSHS has suppressed these data elements in this release of the PUDF:

- The last two digits of the patient's ZIP code are suppressed if there are fewer than thirty patients included in the ZIP code.
- The entire ZIP code is suppressed if a hospital has fewer than fifty visits in a quarter.
- The ZIP code is changed to '88888' for patients from states other than Texas and the adjacent states.
- The entire ZIP code and gender code are suppressed if the ICD-9-CM code indicates alcohol or drug use or an HIV diagnosis.
- The entire ZIP code and provider name are suppressed if a hospital has fewer than five visits of a particular gender, including 'unknown'. The provider ID is changed to '999998'.
- The country code is suppressed if fewer than five visits were reported for that country in a quarter .
- The county code is suppressed if fewer than five visits were reported for that county in a quarter .
- Age is represented by 22 age group codes for the general patient population and 5 age group codes for the HIV and alcohol and drug use patient populations.
- Race is changed to 'Other' and ethnicity is suppressed if a hospital has fewer than ten visits of a race.
- If a hospital has fewer than fifty visits in a quarter, the provider ID is changed to '999999'.

To protect physician identities, the THSC requires creation of a uniform identification number for physicians in practice. Uniform physician identifiers are available except when the number of physicians represented in a DRG for a hospital is less than the minimum cell size of five.

It may be possible in rare instances, through complex analysis and with outside information, to ascertain from the PUDF the identity of individual patients. Considerable harm could result if this were done. PUDF users are required to sign and comply with the DSHS Hospital Discharge Data Use Agreement in the Application before shipment of the PUDF. The Data Use Agreement prohibits attempts to identify individual patients.

RESTRICTIONS ON DATA USE

Section 108.010(c) of the THSC prohibits DSHS from releasing provider quality reports until one year of data is available. Users of the PUDF are cautioned about using less than a year of data to make any healthcare facility quality assumptions.

Sections 108.013(c)(1) and (2) and 108.013 (g) of the Texas Health and Safety Code (THSC) prohibit the DSHS from releasing, and a person or entity from gaining access to, any data that could reveal the identity of a patient or the identity of a physician unless specifically authorized by the Act. Any effort to determine the identity of any person or to use the information for any purpose other than for analysis and aggregate statistical reporting violates the THSC and the Data Use Agreement. By virtue of the Agreement, the signer agrees that the data will not be used to identify an individual patient or physician. Because of these restrictions, under no circumstances will users of the data contact an individual patient or physician or hospital or ambulatory surgery center for the purpose of verifying information supplied in the DSHS Outpatient Services Public Use Data sets. Any questions about the data must be referred to DSHS only. Data analysis assistance is not provided by DSHS. The data are protected by United States copyright laws and international treaty provisions.

In the Data Use Agreement, the purchaser and end-user of the data are referred to as the “licensee”. To acquire the data the licensee must give the following assurances with respect to the use of DSHS Outpatient Public Use Data sets:

- The licensee will not release nor permit others to release the individual patient records or any part of them to any person who is not a staff member of the organization that has acquired the data, except with the written approval of DSHS;
- The licensee will not attempt to link nor permit others to attempt to link the outpatient records of patients in this data set with personally identifiable records from any other source, including any THIC research data file (effective Aug 1, 2012); The licensee will not release nor permit others to release any information that identifies persons, directly or indirectly;
- The licensee will not attempt to use nor permit others to use the data to learn the identity of any physician;
- The licensee will not nor permit others to copy, sell, rent, license, lease, loan, or otherwise grant access to the data covered by this Agreement to any other person or entity, unless approved in writing by DSHS;
- The licensee agrees to read the User Manual and to be cognizant of the limitations of the data;
- The licensee will use the following citation in any publication of information from this file:
Texas Outpatient Services Public Use Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication];
- The licensee will indemnify, defend, and hold the DSHS, its members, employees, and the Department’s contract vendors harmless from any and all claims and losses accruing to any person as a result of violation of this agreement; and
- The licensee will make no statement nor permit others to make statements indicating or suggesting that interpretations drawn from these data are those of DSHS.

The licensee understands that these assurances are collected by DSHS to assure compliance with its statutory confidentiality requirement. The signature on behalf of the licensee indicates the licensee’s agreement to comply with the above-stated requirements with the knowledge that under Sections 108.014 and 108.0141 of the Texas Health and

Safety Code to knowingly or negligently release data in violation of this agreement is punishable by a fine of up to \$10,000 and an offense is a state jail felony. By signing the Data Use Agreement, the PUDF user has been informed that the potential for both civil and criminal penalties exists.

Users of report generating software to access the PUDF are required to purchase a license to use the data.

OUTPATIENT FACILITY COMMENTS

(Users are advised to consider hospital comments in any analysis of the data.)

Included with the PUDF is a separate file containing the unedited comments submitted by hospitals or ambulatory surgery centers at the time of data certification. Comments relating to individual data elements should be considered in any analysis of those data elements. These comments express the opinions of individual hospitals and are not necessarily the views of the DSHS. Hospitals or ambulatory surgery centers that submitted comments are identified in 'Reporting Status of Texas Outpatient Facilities'.

A Facility Type file with 27 variables, including the THCIC_ID is included also. This clarifies the type of provider (Pediatric, Teaching Facility, Long Term Care, etc.), and is useful for data users focusing on a certain type of facility.

DATA FILES

The 2011 PUDF is available in four files, the Base Data, Classification data, Charges and Facility Type files. The files are also available in fixed length and tab-delimited formats. The size of the files are as follows:

First quarter, 785 facilities:

Base data	2,121,470 records	Fixed field format	1,680 MB	Tab-delimited	780 MB
Classification data	2,121,470 records	Fixed field format	1,104 MB	Tab-delimited	493 MB
Charges	14,609,033 records	Fixed field format	1,170 MB	Tab-delimited	712 MB
Facility type data	785 records	Fixed field format	68 KB	Tab-delimited	54 KB

Second quarter, 782 facilities:

Base data	2,220,855 records	Fixed field format	1,759 MB	Tab-delimited	818 MB
Classification data	2,220,855 records	Fixed field format	1,156 MB	Tab-delimited	526 MB
Charges	15,859,430 records	Fixed field format	1,270 MB	Tab-delimited	772 MB
Facility type data	782 records	Fixed field format	68 KB	Tab-delimited	54 KB

Third quarter, 782 facilities:

Base data	2,283,092 records	Fixed field format	1,808 MB	Tab-delimited	844 MB
Classification data	2,283,092 records	Fixed field format	1,188 MB	Tab-delimited	540 MB
Charges	16,635,500 records	Fixed field format	1,332 MB	Tab-delimited	813 MB
Facility type data	782 records	Fixed field format	68 KB	Tab-delimited	54 KB

Fourth quarter, 788 facilities:

Base data	2,266,975 records	Fixed field format	1,795 MB	Tab-delimited	841 MB
Classification data	2,266,975 records	Fixed field format	1,180 MB	Tab-delimited	534 MB
Charges	16,799,156 records	Fixed field format	1,345 MB	Tab-delimited	825 MB
Facility type data	788 records	Fixed field format	68 KB	Tab-delimited	55 KB

The data must be imported into a software package. No software is included with the PUDF. The data file has been tested with several software packages, including Microsoft Access, SAS, and SPSS.

Updates to any PUDF CD's are available through the THCIC website, <http://www.dshs.state.tx.us/thcic/>, which should be checked periodically as notifications of an update will not be sent.

DATA DICTIONARY

This document provides the user with the necessary information to use and understand the data in the Public Use Data File. The following information is provided:

Field	Unique, abbreviated name of the data element
Description	Brief explanation of the data element. Descriptions of data elements are taken from specifications manuals.
Data Source	Provided by the health care facility on the claim form (Claim) Assigned by DSHS (Assigned) Calculated by DSHS (Calculated) Note: For those data elements that have been temporarily suppressed, the quarter of data for which the data element will be released is noted following the Data Source.
Type	Alphanumeric or numeric
Coding scheme	Valid codes for a data field. Values taken from specifications manuals.

Any data provided by a facility that has been determined to be invalid has been assigned the value ` (accent mark).
Any data element that is blank should be interpreted as 'missing', no data provided, unless otherwise noted.

BASE DATA FILE

Field 1:	SERVICE_QUARTER			
Description:	Quarter during which service occurred. Year and quarter of service. yyyyQn.			
Beginning Position:	1	Data Source:	Assigned	
Length:	6	Type:	Alphanumeric	
Field 2:	RECORD_ID			
Description:	Record Identification Number. Unique number assigned to identify the record. First available 1 st quarter 2002. Does NOT match the RECORD_ID in THCIC Research Data Files (RDF's).			
Beginning Position:	7	Data Source:	Assigned	
Length:	12	Type:	Alphanumeric	
Field 3:	THCIC_ID			
Description:	Provider ID. Unique identifier assigned to the provider by DSHS.			
Suppression:	Facilities reporting fewer than 50 events have been aggregated into the Provider ID '999999'. If a facility reported fewer than 5 events for a particular gender, including 'unknown', Provider ID is '999998'.			
Beginning Position:	19	Data Source:	Assigned	
Length:	6	Type:	Alphanumeric	
Field 4:	PROVIDER_NAME			
Description:	Name provided by the facility.			
Suppression:	Facilities reporting fewer than 50 events (Provider ID equals '999999') are assigned the name 'Low Volume Facility'. If a facility reported fewer than 5 events for a particular gender, including 'unknown', Provider Name is blank.			
Beginning Position:	25	Data Source:	Provider	
Length:	55	Type:	Alphanumeric	
Field 5:	SPEC_UNIT			
Description:	Specialty Units in which most days during stay occurred based on number of days by Type of Bill or Revenue Code. In order by number of days in the unit. SPEC_UNIT_1 through SPEC_UNIT_5 are combined in one field in the Tab Delimited file and can be accessed individually in the fixed length file.			
Coding Scheme:	C	Coronary Care Unit	P	Pediatric Unit
	D	Detoxification Unit	Y	Psychiatric Unit
	I	Intensive Care Unit	R	Rehabilitation Unit
	H	Hospice Unit	U	Sub-acute Care Unit
	N	Nursery	S	Skilled Nursing Unit
	B	Obstetric Unit	Blank	Acute Care
	O	Oncology Unit		
Beginning Position:	80	Data Source:	Calculated	
Length:	5	Type:	Alphanumeric	
Field 5a:	SPEC_UNIT_1 (fixed length file only)			
Description:	Specialty Unit in which most days during stay occurred based on number of days by Type of Bill or Revenue Code.			
Coding Scheme:	Same as Field 12.			
Beginning Position:	80	Data Source:	Calculated	
Length:	1	Type:	Alphanumeric	
Field 5b:	SPEC_UNIT_2 (fixed length file only)			
Description:	Specialty Unit in which 2 nd most days during stay occurred based on number of days by Type of Bill or Revenue Code.			
Coding Scheme:	Same as Field 12.			
Beginning Position:	81	Data Source:		
Length:	1	Type:	Alphanumeric	
Field 5c:	SPEC_UNIT_3 (fixed length file only)			
Description:	Specialty Unit in which 3 rd most days during stay occurred based on number of days by Type of Bill or Revenue Code.			
Coding Scheme:	Same as Field 12.			
Beginning Position:	82	Data Source:		

Length:	1	Type:	Alphanumeric
Field 5d:	SPEC_UNIT_4 (fixed length file only)		
Description:	Specialty Unit in which 4 th most days during stay occurred based on number of days by Type of Bill or Revenue Code.		
Coding Scheme:	Same as Field 12.		
Beginning Position:	83	Data Source:	
Length:	1	Type:	Alphanumeric
Field 5e:	SPEC_UNIT_5 (fixed length file only)		
Description:	Specialty Unit in which 5 th most days during stay occurred based on number of days by Type of Bill or Revenue Code.		
Coding Scheme:	Same as Field 12.		
Beginning Position:	84	Data Source:	
Length:	1	Type:	Alphanumeric
Field 6:	SEX_CODE		
Description:	Gender of the patient as recorded at date of start of care.		
Suppression:	Code is suppressed if an ICD-9-CM code indicates drug or alcohol use or an HIV diagnosis. If a facility reported fewer than 5 patients of a particular gender, including unknown, Provider ID is '999998' and Provider Name and Patient ZIP Code are blank for those patients.		
Coding Scheme:	M Male F Female U Unknown , Invalid		
Beginning Position:	85	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 7:	PAT_COUNTY		
Description:	FIPS code of patient's county.		
Coding scheme:	001 Anderson 129 Donley 257 Kaufman 385 Real 003 Andrews 131 Duval 259 Kendall 387 Red River 005 Angelina 133 Eastland 261 Kenedy 389 Reeves 007 Aransas 135 Ector 263 Kent 391 Refugio 009 Archer 137 Edwards 265 Kerr 393 Roberts 011 Armstrong 139 Ellis 267 Kimble 395 Robertson 013 Atascosa 141 El Paso 269 King 397 Rockwall 015 Austin 143 Erath 271 Kinney 399 Runnels 017 Bailey 145 Falls 273 Kleberg 401 Rusk 019 Bandera 147 Fannin 275 Knox 403 Sabine 021 Bastrop 149 Fayette 283 La Salle 405 San Augustine 023 Baylor 151 Fisher 277 Lamar 407 San Jacinto 025 Bee 153 Floyd 279 Lamb 409 San Patricio 027 Bell 155 Foard 281 Lampasas 411 San Saba 029 Bexar 157 Fort Bend 285 Lavaca 413 Schleicher 031 Blanco 159 Franklin 287 Lee 415 Scurry 033 Borden 161 Freestone 289 Leon 417 Shackelford 035 Bosque 163 Frio 291 Liberty 419 Shelby 037 Bowie 165 Gaines 293 Limestone 421 Sherman 039 Brazoria 167 Galveston 295 Lipscomb 423 Smith 041 Brazos 169 Garza 297 Live Oak 425 Somervell 043 Brewster 171 Gillespie 299 Llano 427 Starr 045 Briscoe 173 Glasscock 301 Loving 429 Stephens 047 Brooks 175 Goliad 303 Lubbock 431 Sterling 049 Brown 177 Gonzales 305 Lynn 433 Stonewall 051 Burleson 179 Gray 307 McCulloch 435 Sutton 053 Burnet 181 Grayson 309 McLennan 437 Swisher 055 Caldwell 183 Gregg 311 McMullen 439 Tarrant 057 Calhoun 185 Grimes 313 Madison 441 Taylor 059 Callahan 187 Guadalupe 315 Marion 443 Terrell 061 Cameron 189 Hale 317 Martin 445 Terry 063 Camp 191 Hall 319 Mason 447 Throckmorton 065 Carson 193 Hamilton 321 Matagorda 449 Titus 067 Cass 195 Hansford 323 Maverick 451 Tom Green 069 Castro 197 Hardeman 325 Medina 453 Travis 071 Chambers 199 Hardin 327 Menard 455 Trinity 073 Cherokee 201 Harris 329 Midland 457 Tyler 075 Childress 203 Harrison 331 Milam 459 Upshur 077 Clay 205 Hartley 333 Mills 461 Upton 079 Cochran 207 Haskell 335 Mitchell 463 Uvalde 081 Coke 209 Hays 337 Montague 465 Val Verde		

083	Coleman	211	Hemphill	339	Montgomery	467	Van Zandt
085	Collin	213	Henderson	341	Moore	469	Victoria
087	Collingsworth	215	Hidalgo	343	Morris	471	Walker
089	Colorado	217	Hill	345	Motley	473	Waller
091	Comal	219	Hockley	347	Nacogdoches	475	Ward
093	Comanche	221	Hood	349	Navarro	477	Washington
095	Concho	223	Hopkins	351	Newton	479	Webb
097	Cooke	225	Houston	353	Nolan	481	Wharton
099	Coryell	227	Howard	355	Nueces	483	Wheeler
101	Cottle	229	Hudspeth	357	Ochiltree	485	Wichita
103	Crane	231	Hunt	359	Oldham	487	Wilbarger
105	Crockett	233	Hutchinson	361	Orange	489	Willacy
107	Crosby	235	Irion	363	Palo Pinto	491	Williamson
109	Culberson	237	Jack	365	Panola	493	Wilson
111	Dallam	239	Jackson	367	Parker	495	Winkler
113	Dallas	241	Jasper	369	Parmer	497	Wise
115	Dawson	243	Jeff Davis	371	Pecos	499	Wood
117	Deaf Smith	245	Jefferson	373	Polk	501	Yoakum
119	Delta	247	Jim Hogg	375	Potter	503	Young
121	Denton	249	Jim Wells	377	Presidio	505	Zapata
123	Dewitt	251	Johnson	379	Rains	507	Zavala
125	Dickens	253	Jones	381	Randall		
127	Dimmit	255	Karnes	383	Reagan		Invalid

Beginning Position: 86 **Data Source:** Assigned; based on patient ZIP code
Length: 3 **Type:** Alphanumeric

Field 8: PAT_STATE

Description: State of the patient's mailing address in Texas and contiguous states. Standard 2-character Postal Service abbreviation.

Coding Scheme: AR Arkansas
LA Louisiana
NM New Mexico
OK Oklahoma
TX Texas
ZZ All other states and American Territories
FC Foreign country
XX Foreign country

Beginning Position: 89 **Data Source:** Claim
Length: 2 **Type:** Alphanumeric

Field 9: PAT_ZIP

Description: Patient's five-digit ZIP code.

Suppression: Last two digits are blank if a ZIP code has fewer than 30 patients. If state equals 'ZZ', ZIP code equals '88888'. If state equals 'FC' (foreign country) ZIP code is blank. If ICD-9-CM indicates alcohol or drug use or an HIV diagnosis the ZIP code is blank. If a facility has fewer than fifty outpatient services reported for the quarter the ZIP code is blank. If a facility has fewer than 5 patients reported of a particular gender, including 'unknown', the ZIP Code is blank.

Beginning Position: 91 **Data Source:** Claim
Length: 5 **Type:** Alphanumeric

Field 10: PAT_COUNTRY

Description: Country of patient's residential address. List maintained by the International Organization for Standardization (ISO).

Suppression: Suppressed if fewer than 5 patients from one country.

Coding scheme: See www.ISO.org for complete list.

Beginning Position: 96 **Data Source:** Claim
Length: 2 **Type:** Alphanumeric

Field 11: PUBLIC_HEALTH_REGION

Description: Public Health Region of patient's address.

- 1 Armstrong, Bailey, Briscoe, Carson, Castro, Childress, Cochran, Collingsworth, Crosby, Dallam, Deaf Smith, Dickens, Donley, Floyd, Garza, Gray, Hale, Hall, Hansford, Hartley, Hemphill, Hockley, Hutchinson, King, Lamb, Lipscomb, Lubbock, Lynn, Moore, Motley, Ochiltree, Oldham, Parmer, Potter, Randall, Roberts, Sherman, Swisher, Terry, Wheeler, Yoakum counties
- 2 Archer, Baylor, Brown, Callahan, Clay, Coleman, Comanche, Cottle, Eastland, Fisher, Foard, Hardeman, Haskell, Jack, Jones, Kent, Knox, Mitchell, Montague, Nolan, Runnels, Scurry, Shackelford, Stephens, Stonewall, Taylor, Throckmorton, Wichita, Wilbarger, Young counties
- 3 Collin, Cooke, Dallas, Denton, Ellis, Erath, Fannin, Grayson, Hood, Hunt, Johnson, Kaufman, Navarro, Palo Pinto, Parker, Rockwall, Somervell, Tarrant, Wise counties

	4	Anderson, Bowie, Camp, Cass, Cherokee, Delta, Franklin, Gregg, Harrison, Henderson, Hopkins, Lamar, Marion, Morris, Panola, Rains, Red River, Rusk, Smith, Titus, Upshur, Van Zandt, Wood counties					
	5	Angelina, Hardin, Houston, Jasper, Jefferson, Nacogdoches, Newton, Orange, Polk, Sabine, San Augustine, San Jacinto, Shelby, Trinity, Tyler counties					
	6	Austin, Brazoria, Chambers, Colorado, Fort Bend, Galveston, Harris, Liberty, Matagorda, Montgomery, Walker, Waller, Wharton counties					
	7	Bastrop, Bell, Blanco, Bosque, Brazos, Burleson, Burnet, Caldwell, Coryell, Falls, Fayette, Freestone, Grimes, Hamilton, Hays, Hill, Lampasas, Lee, Leon, Limestone, Llano, McLennan, Madison, Milam, Mills, Robertson, San Saba, Travis, Washington, Williamson counties					
	8	Atascosa, Bandera, Bexar, Calhoun, Comal, DeWitt, Dimmit, Edwards, Frio, Gillespie, Goliad, Gonzales, Guadalupe, Jackson, Karnes, Kendall, Kerr, Kinney, La Salle, Lavaca, Maverick, Medina, Real, Uvalde, Val Verde, Victoria, Wilson, Zavala counties					
	9	Andrews, Borden, Coke, Concho, Crane, Crockett, Dawson, Ector, Gaines, Glasscock, Howard, Irion, Kimble, Loving, McCulloch, Martin, Mason, Menard, Midland, Pecos, Reagan, Reeves, Schleicher, Sterling, Sutton, Terrell, Tom Green, Upton, Ward, Winkler counties					
	10	Brewster, Culberson, El Paso, Hudspeth, Jeff Davis, Presidio counties					
	11	Aransas, Bee, Brooks, Cameron, Duval, Hidalgo, Jim Hogg, Jim Wells, Kenedy, Kleberg, Live Oak, McMullen, Nueces, Refugio, San Patricio, Starr, Webb, Willacy, Zapata counties					
	`	Invalid					
Beginning Position:	98		Data Source:	Assigned			
Length:	2		Type:	Alphanumeric			
Field 12:	LENGTH_OF_SERVICE						
Description:	Length of service in days <i>equals</i> Statement From Date through Statement Thru Date. The minimum length of service is 1day. The maximum is 30 days.						
Beginning Position:	100		Data Source:	Calculated			
Length:	2		Type:	Alphanumeric			
Field 13:	PAT_AGE						
Description:	Code indicating age of patient in days or years on date of service.						
Coding Scheme:	00	1-28 days	10	35-39	20	85-89	
	01	29-365 days	11	40-44	21	90+	
	02	1-4 years	12	45-49	<i>HIV and drug/alcohol use patients:</i>		
	03	5-9	13	50-54	22	0-17	
	04	10-14	14	55-59	23	18-44	
	05	15-17	15	60-64	24	45-64	
	06	18-19	16	65-69	25	65-74	
	07	20-24	17	70-74	26	75+	
	08	25-29	18	75-79	`	Invalid	
	09	30-34	19	80-84			
Beginning Position:	102		Data Source:	Assigned			
Length:	2		Type:	Alphanumeric			
Field 14:	RACE						
Description:	Code indicating the patient's race.						
Suppression:	If a facility has fewer than ten patients of one race that race is changed to 'Other' (code equals 5).						
Coding Scheme:	1	American Indian/Eskimo/Aleut					
	2	Asian or Pacific Islander					
	3	Black					
	4	White					
	5	Other					
	`	Invalid					
Beginning Position:	104		Data Source:	Claim			
Length:	1		Type:	Alphanumeric			
Field 15:	ETHNICITY						
Description:	Code indicating the Hispanic origin of the patient.						
Suppression:	If a facility has fewer than ten patients of one race the ethnicity of patients of that race is suppressed (code is blank).						
Coding Scheme:	1	Hispanic Origin					
	2	Not of Hispanic Origin					
	`	Invalid					
Beginning Position:	105		Data Source:	Claim			
Length:	1		Type:	Alphanumeric			
Field 16:	FIRST_PAYMENT_SRC						
Description:	Code indicating the expected primary source of payment.						
Coding Scheme:	09	Self Pay		HM	Health Maintenance Organization		

10	Central Certification	LI	Liability
11	Other Non-federal Programs	LM	Liability Medical
12	Preferred Provider Organization (PPO)	MA	Medicare Part A
13	Point of Service (POS)	MB	Medicare Part B
14	Exclusive Provider Organization (EPO)	MC	Medicaid
15	Indemnity Insurance	TV	Title V
16	Health Maintenance Organization (HMO)	OF	Other Federal Program
	Medicare Risk		
AM	Automobile Medical	VA	Veteran Administration Plan
BL	Blue Cross/Blue Shield	WC	Workers Compensation Health Claim
CH	CHAMPUS	ZZ	Charity, Indigent or Unknown
CI	Commercial Insurance	`	Invalid
DS	Disability Insurance		

Beginning Position: 106 **Data Source:** Claim
Length: 2 **Type:** Alphanumeric

Field 17: **SECONDARY_PAYMENT_SRC**
Description: Code indicating the expected secondary source of payment.
Coding Scheme: Same as field 28, FIRST_PAYMENT_SRC
Beginning Position: 108 **Data Source:** Claim
Length: 2 **Type:** Alphanumeric

Field 18: **TYPE_OF_BILL**
Description: Provides specific information about the claim data submitted. First digit = type of facility. Second digit = type of care. Third digit = sequence of the claim.
Coding Scheme:

<i>1st digit—Type of Facility</i>	<i>2nd digit—Type of Care</i>	<i>3rd digit—Sequence of claim</i>
1 Hospital	1 Inpatient, including Medicare Part A	0 Non-payment/Zero claim
2 Skilled nursing	2 Inpatient, Medicare Part B only	1 Admit through discharge claim
3 Home health	3 Outpatient	2 Interim—first claim
4 Religious non-medical health care—Hospital	4 Outpatient Other, Medicare Part B only	3 Interim—continuing claim
5 Religious non-medical health care—Extended care	5 Intermediate Care—Level I	4 Interim—last claim
6 Intermediate care	6 Intermediate Care—Level II	5 Late charge(s) only claim
7 Clinic	7 Sub-acute inpatient – Level III	6 Adjustment of prior claim (Not used by Medicare)
8 Special facility	8 Swing bed	7 Replacement of prior claim
		8 Void/cancel of prior claim

Beginning Position: 110 **Data Source:** Claim
Length: 3 **Type:** Alphanumeric

Field 19: **CONDITION_CODE_1**
Description: Code describing a condition relating to the claim.

Coding Scheme:

1 Military service related	76 Back-up in facility dialysis
2 Condition is employment related	77 Provider accepts or is obligated/required due to a contractual arrangement or law to accept payment by a primary payer as payment
3 Patient covered by insurance not reflected here	78 New coverage not implemented by HMO
4 Information only bill.	79 CORF services provided offsite
5 Lien has been filed	80 Home dialysis - nursing facility
6 ESRD patient in first 18 months of entitlement covered by EGHP	A0 CHAMPUS external partnership program
7 Treatment of non-terminal condition for hospice patient	A1 EPSDT/CHAP
8 Beneficiary would not provide information concerning other insurance coverage	A2 Physically handicapped children's program
9 Neither patient or spouse is employed	A3 Special Federal Funding
10 Patient and/or spouse is employed but no EGHP exists	A4 Family planning
11 Disabled beneficiary but no LGHP coverage exists	A5 Disability
17 Patient is homeless	A6 Vaccines/Medicare 100% payment
18 Maiden name retained	A7 Induced abortion - danger to life
19 Child retains mother's name	A8 Induced abortion - victim rape/incest
20 Beneficiary requested billing	A9 Second opinion surgery
21 Billing for denial notice	AA Abortion performed due to rape

22	Patient on multiple drug regimen	AB	Abortion performed due to incest
23	Home care giver available	AC	Abortion performed due to serious fatal genetic defect, deformity, or abnormality
24	Home IV patient also receiving HHA services	AD	Abortion performed due to life endangering physical condition caused by, arising from or exacerbated by the pregnancy itself
25	Patient is non-US resident	AE	Abortion performed due to physical health of mother that is not life endangering
26	VA eligible patient chooses to receive services in a Medicare certified facility	AF	Abortion performed due to emotional/psychological health of mother
27	Patient referred to a sole community hospital for a diagnostic laboratory test	AG	Abortion performed due to social or economic reasons
28	Patient and/or spouse's EGHP is secondary to Medicare	AH	Elective abortion
29	Disabled beneficiary and/or family member's LGHP is secondary to Medicare	AI	Sterilization
30	Non-research services provided to patients enrolled in a qualified clinical trial	AJ	Payer responsible for co-payment
31	Patient is student (full time - day)	AJ	Payer responsible for co-payment
32	Patient is student (cooperative/work study program)	AK	Air ambulance required
33	Patient is student (full time - night)	AL	Specialized treatment/bed unavailable
34	Patient is student (part-time)	AM	Non-emergency medically necessary stretcher transport required
36	General care patient in a special unit	AN	Pre-admission screening not required
37	Ward accommodation at patient request	B0	Medicare coordinated care demonstration claim
38	Semi-private room not available	B1	Beneficiary is ineligible for demonstration program
39	Private room medically necessary	B2	Critical access hospital ambulance attestation
40	Same day transfer	B3	Pregnancy indicator
41	Partial hospitalization	B4	Admission unrelated to discharge on same day
42	Continuing care not related to inpatient admission	C1	Approved as billed
43	Continuing care not provided within prescribed postdischarge window	C2	Automatic approval as billed based on focused review
44	Inpatient admission changed to outpatient	C3	Partial approval
45	Reserved	C4	Admission/services denied
46	Non-availability statement on file	C5	Postpayment review applicable
47	Reserved for CHAMPUS	C6	Admission Preauthorization
48	Psychiatric residential treatment centers for children and adolescents (RTCs)	C7	Extended Authorization
49	Product replacement within product lifecycle	D0	Changes to Service Dates
55	SNF bed not available	D1	Changes to Charges
56	Medical appropriateness	D2	Changes in Revenue Codes/HCP/PCS/HIPPS rate code
57	SNF readmission	D3	Second or Subsequent Interim PPS Bill
58	Terminated Medicare+Choice organization enrollee	D4	Change in ICD-9-CM diagnosis and/or procedure codes.
59	Non-primary ESRD facility	D5	Cancel to correct HICN or Provider ID
60	Day outlier	D6	Cancel Only to Repay a Duplicate or OIG Overpayment
61	Cost outlier	D7	Change to Make Medicare the Secondary Payer
66	Provider does not wish cost outlier payment	D8	Change to Make Medicare the Primary Payer
67	Beneficiary elects not to use life time reserve (LTR) days	D9	Any Other Change
68	Beneficiary elects to use life time reserve (LTR) days	DR	Katrina disaster related
69	IME/DGME/N&AH Payment Only	E0	Changes in Patient Status
70	Self-administered anemia management drug	G0	Distinct Medical Visit
71	Full care in unit	H0	Delayed Filing, Statement of Intent Submitted
72	Self care in unit	M0	All inclusive rate for outpatient services
73	Self care training	M1	Roster billed influenza virus vaccine or pneumococcal pneumonia vaccine (PPV)
74	Home	M2	HHA payment significantly exceeds total charges

75 Home - 100% reimbursement

P1 Do not Resuscitate Order (DNR)
WO United Mine Workers of America (UMWA)
Demonstration Indicator

Beginning Position:	113	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 20:	CONDITION_CODE_2		
	Code describing a condition relating to the claim.		
Coding Scheme:	Same as Field 178.		
Beginning Position:	115	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 21:	CONDITION_CODE_3		
	Code describing a condition relating to the claim.		
Coding Scheme:	Same as Field 178.		
Beginning Position:	117	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 22:	CONDITION_CODE_4		
	Code describing a condition relating to the claim.		
Coding Scheme:	Same as Field 178.		
Beginning Position:	119	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 23:	CONDITION_CODE_5		
	Code describing a condition relating to the claim.		
Coding Scheme:	Same as Field 178.		
Beginning Position:	121	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 24:	CONDITION_CODE_6		
	Code describing a condition relating to the claim.		
Coding Scheme:	Same as Field 178.		
Beginning Position:	123	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 25:	CONDITION_CODE_7		
	Code describing a condition relating to the claim.		
Coding Scheme:	Same as Field 178.		
Beginning Position:	125	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 26:	CONDITION_CODE_8		
	Code describing a condition relating to the claim.		
Coding Scheme:	Same as Field 178.		
Beginning Position:	127	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 27:	REASON_FOR_VISIT		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	129	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 28:	PRINC_DIAG_CODE		
	ICD-9-CM diagnosis code for the principal diagnosis, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	134	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 29:	OTH_DIAG_CODE_1		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	139	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 30:	OTH_DIAG_CODE_2		

	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	144	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 31:	OTH_DIAG_CODE_3 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	149	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 32:	OTH_DIAG_CODE_4 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	154	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 33:	OTH_DIAG_CODE_5 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	159	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 34:	OTH_DIAG_CODE_6 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	164	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 35:	OTH_DIAG_CODE_7 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	169	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 36:	OTH_DIAG_CODE_8 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	174	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 37:	OTH_DIAG_CODE_9 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	179	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 38:	OTH_DIAG_CODE_10 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	184	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 39:	OTH_DIAG_CODE_11 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	189	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 40:	OTH_DIAG_CODE_12 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	194	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 41:	OTH_DIAG_CODE_13		

	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	199	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 42:	OTH_DIAG_CODE_14 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	204	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 43:	OTH_DIAG_CODE_15 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	209	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 44:	OTH_DIAG_CODE_16 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	214	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 45:	OTH_DIAG_CODE_17 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	219	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 46:	OTH_DIAG_CODE_18 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	224	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 47:	OTH_DIAG_CODE_19 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	229	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 48:	OTH_DIAG_CODE_20 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	234	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 49:	OTH_DIAG_CODE_21 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	239	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 50:	OTH_DIAG_CODE_22 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	244	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 51:	OTH_DIAG_CODE_23 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	249	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 52:	OTH_DIAG_CODE_24		

	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
Beginning Position:	254	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 53:	RELATED_CAUSE_CODE_1		
	Code identifying an accompanying cause of an illness, injury or an accident.		
Coding Scheme:	AA Auto accident AB Abust AP Another party responsible EM Employment OA Other accident		
Beginning Position:	259	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 54:	RELATED_CAUSE_CODE_2		
	Code identifying an accompanying cause of an illness, injury or an accident.		
Coding Scheme:	Same as Field 53.		
Beginning Position:	261	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 55:	RELATED_CAUSE_CODE_3		
	Code identifying an accompanying cause of an illness, injury or an accident.		
Coding Scheme:	Same as Field 53.		
Beginning Position:	263	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 56:	E_CODE_1		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of the primary external cause of injury. A decimal is implied following the third character.		
Beginning Position:	265	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 57:	E_CODE_2		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional external cause of injury. Decimal is implied following the third character.		
Beginning Position:	270	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 58:	E_CODE_3		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional external cause of injury. Decimal is implied following the third character.		
Beginning Position:	275	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 59:	E_CODE_4		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional external cause of injury. Decimal is implied following the third character.		
Beginning Position:	280	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 60:	E_CODE_5		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional external cause of injury. Decimal is implied following the third character.		
Beginning Position:	285	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 61:	E_CODE_6		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional external cause of injury. Decimal is implied following the third character.		
Beginning Position:	290	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 62:	E_CODE_7		

	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional external cause of injury. Decimal is implied following the third character.		
Beginning Position:	295	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 63:	E_CODE_8 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional external cause of injury. Decimal is implied following the third character.		
Beginning Position:	300	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 64:	E_CODE_9 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional external cause of injury. Decimal is implied following the third character.		
Beginning Position:	305	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 65:	E_CODE_10 ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional external cause of injury. Decimal is implied following the third character.		
Beginning Position:	310	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 66:	PROC_CODE_1 Code for the surgical or other procedure with the highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	315	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 67:	PROC_CODE_2 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	320	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 68:	PROC_CODE_3 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	325	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 69:	PROC_CODE_4 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	330	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 70:	PROC_CODE_5 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	335	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 71:	PROC_CODE_6 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	340	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 72:	PROC_CODE_7 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	345	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 73:	PROC_CODE_8		

	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	350	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 74:	PROC_CODE_9		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	355	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 75:	PROC_CODE_10		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	360	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 76:	PROC_CODE_11		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	365	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 77:	PROC_CODE_12		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	370	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 78:	PROC_CODE_13		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	375	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 79:	PROC_CODE_14		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	380	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 80:	PROC_CODE_15		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	385	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 81:	PROC_CODE_16		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	390	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 82:	PROC_CODE_17		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	395	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 83:	PROC_CODE_18		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	400	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 84:	PROC_CODE_19		

	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	405	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 85:	PROC_CODE_20 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	410	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 86:	PROC_CODE_21 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	415	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 87:	PROC_CODE_22 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	420	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 88:	PROC_CODE_23 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	425	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 89:	PROC_CODE_24 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	430	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 90:	PROC_CODE_25 Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	435	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 91:	OTHER_AMOUNT Ancillary Service Charge, Other Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 002-099, 22X-24X, 52X-53X, 55X-60X, 64X-70X, 76X-78X, 90X-95X, 99X.		
Beginning Position:	440	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 92:	PHARM_AMOUNT Ancillary Service Charge, Pharmacy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 26X, 63X.		
Beginning Position:	452	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 93:	MEDSURG_AMOUNT Ancillary Service Charge, Medical/Surgical Supply Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 27X, 62X.		
Beginning Position:	464	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 94:	DME_AMOUNT Ancillary Service Charge, Durable Medical Equipment Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue centers 290-292, 294-299.		

Beginning Position:	476	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 95:	USED_DME_AMOUNT Ancillary Service Charge, Used Durable Medical Equipment Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 293.		
Beginning Position:	488	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 96:	PT_AMOUNT Ancillary Service Charge, Physical Therapy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 42X.		
Beginning Position:	500	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 97:	OT_AMOUNT Ancillary Service Charge, Occupational Therapy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 42X.		
Beginning Position:	512	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 98:	SPEECH_AMOUNT Ancillary Service Charge, Speech Pathology Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 44X, 47X.		
Beginning Position:	524	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 99:	IT_AMOUNT Ancillary Service Charge, Inhalation Therapy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 41X, 46X.		
Beginning Position:	536	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 100:	BLOOD_AMOUNT Ancillary Service Charge. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 38X.		
Beginning Position:	548	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 101:	BLOOD_ADMIN_AMOUNT Ancillary Service Charge. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 39X.		
Beginning Position:	560	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 102:	OR_AMOUNT Ancillary Service Charge, Operating Room Charge amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 36X, 71X-72X.		
Beginning Position:	572	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 103:	LITH_AMOUNT Ancillary Service Charge, Lithotripsy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 79X.		
Beginning Position:	584	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 104:	CARD_AMOUNT		

	Ancillary Service Charge, Cardiology Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 48X, 73X.		
Beginning Position:	596	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 105:	ANES_AMOUNT Ancillary Service Charge, Anesthesia Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 37X.		
Beginning Position:	608	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 106:	LAB_AMOUNT Ancillary Service Charge, Laboratory Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 30X-31X, 74X-75X.		
Beginning Position:	620	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 107:	RAD_AMOUNT Ancillary Service Charge, Radiology Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 28X, 32X-35X, 40X.		
Beginning Position:	632	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 108:	MRI_AMOUNT Ancillary Service Charge, MRI Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 61X.		
Beginning Position:	644	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 109:	OP_AMOUNT Ancillary Service Charge, Outpatient Services Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 49X-50X.		
Beginning Position:	656	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 110:	ER_AMOUNT Ancillary Service Charge, Emergency Room Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 45X.		
Beginning Position:	668	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 111:	AMBULANCE_AMOUNT Ancillary Service Charge, Ambulance Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 54X.		
Beginning Position:	680	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 112:	PRO_FEE_AMOUNT Ancillary Service Charge, Professional Fee Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 96X-98X.		
Beginning Position:	692	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 113:	ORGAN_AMOUNT Ancillary Service Charge, Organ Acquisition Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 81X, 89X.		
Beginning Position:	704	Data Source:	Calculated
Length:	12	Type:	Numeric

Field 114:	ESRD_AMOUNT Ancillary Service Charge, End Stage Renal Dialysis Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 80X, 82X-88X.
Beginning Position:	716
Length:	12
Data Source:	Calculated
Type:	Numeric
Field 115:	CLINIC_AMOUNT Ancillary Service Charge, Clinic Visit Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 51X.
Beginning Position:	728
Length:	12
Data Source:	Calculated
Type:	Numeric
Field 116:	TOTAL_CHARGES Sum of accommodation charges, non-covered accommodation charges, ancillary charges, non-covered ancillary charges. Replaces TOTAL_CHARGES_23.
Beginning Position:	740
Length:	12
Data Source:	Claim
Type:	Numeric
Field 117:	TOTAL_NON_COV_CHARGES Sum of non-covered accommodation charges, non-covered ancillary charges.
Beginning Position:	752
Length:	12
Data Source:	Claim
Type:	Numeric
Field 118:	TOTAL_CHARGES Ancil Sum of covered and non-covered ancillary charges.
Beginning Position:	764
Length:	12
Data Source:	Claim
Type:	Numeric
Field 119:	TOTAL_NON_COV_CHARGES Ancil Sum of non-covered ancillary charges.
Beginning Position:	776
Length:	12
Data Source:	Claim
Type:	Numeric
Field 120:	PHYSICIAN_1_UNIF_ID Uniform identifier assigned to the licensed physician reported as the Operating Physician, if reported in the 837 Institutional Guide format, or Rendering Physician 1, if reported in the 837 Professional Guide format. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include a health practitioner other than a physician who provides a diagnostic or therapeutic procedure related to the outpatient's surgical or radiological procedure, including a technician, psychologist, chiropractor, dentist, nurse practitioner, nurse midwife or podiatrist, authorized by the facility to treat patients.
Suppression:	Suppressed when the number of physicians reported for a facility or the number of physicians reported for CCS_PROC_CODE_1 for the facility is less than five.
Coding Scheme:	9999999998 Cell size less than 5 9999999999 Temporary license or license number could not be matched
Beginning Position:	788
Length:	10
Data Source:	Assigned
Type:	Alphanumeric
Field 121:	PHYSICIAN_2_UNIF_ID Uniform identifier assigned to the licensed physician reported as the other provider, if reported in the 837 Institutional Guide format, or the Rendering Physician 2, if reported in the 837 Professional Guide format. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include a health practitioner other than a physician who provides a diagnostic or therapeutic procedure related to the outpatient's surgical or radiological procedure, including a technician, psychologist, chiropractor, dentist, nurse practitioner, nurse midwife or podiatrist, authorized by the facility to treat patients.
Suppression:	Suppressed when the number of physicians reported for a facility or the number of physicians represented for CCS_PROC_CODE_1 for a facility is less than five.
Coding Scheme:	9999999998 Cell size less than 5 9999999999 Temporary license or license number could not be matched
Beginning Position:	798
Length:	10
Data Source:	Assigned
Type:	Alphanumeric

Field 122:	CERT_STATUS		
	Assignment of a code to indicate the certification of data and submission of comments by the facility. First available 3 rd quarter 1999.		
Coding Scheme:	1	Certified, without comment	
	2	Certified, with comment	
	3	Certified, with comment, comment not received by deadline	
	4	Facility elected not to certify	
	5	Facility closed, data not certified	
	6	Facility out of compliance, did not certify data	
Beginning Position:	808	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 123:	INPUT_FORMAT		
	Format in which the outpatient data file was submitted by the facility		
Coding Scheme:	0	837 Professional	
	1	837 Institutional	
Beginning Position:	809	Data Source:	Assigned
Length:	1	Type:	Alphanumeric

References:

CLASSIFICATION DATA FILE

Field 1:	RECORD_ID		
Description:	Record Identification Number. Unique number assigned to identify the record. First available 1st quarter 2002. Does NOT match the RECORD_ID in THCIC Research Data Files (RDF's).		
Beginning Position:	1	Data Source:	Assigned
Length:	12	Type:	Alphanumeric
Field 2:	CCS_PRIN_DIAG_CODE		
	Clinical Classifications Software (CCS) classification of PRIN_DIAG_CODE into clinically meaningful diagnosis category.		
Beginning Position:	13	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 3:	CCS_OTH_DIAG_CODE_1		
	Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	17	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 4:	CCS_OTH_DIAG_CODE_2		
	Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	21	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 5:	CCS_OTH_DIAG_CODE_3		
	Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	25	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 6:	CCS_OTH_DIAG_CODE_4		
	Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	29	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 7:	CCS_OTH_DIAG_CODE_5		
	Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	33	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 8:	CCS_OTH_DIAG_CODE_6		
	Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	37	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 9:	CCS_OTH_DIAG_CODE_7		
	Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	41	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 10:	CCS_OTH_DIAG_CODE_8		
	Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	45	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 11:	CCS_OTH_DIAG_CODE_9		
	Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	49	Data Source:	Assigned

Length:	4	Type:	Alphanumeric
Field 12:	CCS_ OTH_DIAG_CODE_10 Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	53	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 13:	CCS_ OTH_DIAG_CODE_11 Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	57	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 14:	CCS_ OTH_DIAG_CODE_12 Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	61	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 15:	CCS_ OTH_DIAG_CODE_13 Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	65	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 16:	CCS_ OTH_DIAG_CODE_14 Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	69	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 17:	CCS_ OTH_DIAG_CODE_15 Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	73	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 18:	CCS_ OTH_DIAG_CODE_16 Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	77	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 19:	CCS_ OTH_DIAG_CODE_17 Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	81	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 20:	CCS_ OTH_DIAG_CODE_18 Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	85	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 21:	CCS_ OTH_DIAG_CODE_19 Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	89	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 22:	CCS_ OTH_DIAG_CODE_20 Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	93	Data Source:	Assigned

Length:	4	Type:	Alphanumeric
Field 23:	CCS_ OTH_DIAG_CODE_21 Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	97	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 24:	CCS_ OTH_DIAG_CODE_22 Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	101	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 25:	CCS_ OTH_DIAG_CODE_23 Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	105	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 26:	CCS_ OTH_DIAG_CODE_24 Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
Beginning Position:	109	Data Source:	Assigned
Length:	4	Type:	Alphanumeric
Field 27:	CCS_ PROC_CODE_1 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_1 into clinically meaningful procedure category.		
Beginning Position:	113	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 28:	CCS_ PROC_CODE_2 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_2 into clinically meaningful procedure category.		
Beginning Position:	116	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 29:	CCS_ PROC_CODE_3 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_3 into clinically meaningful procedure category.		
Beginning Position:	119	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 30:	CCS_ PROC_CODE_4 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_4 into clinically meaningful procedure category.		
Beginning Position:	122	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 31:	CCS_ PROC_CODE_5 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_5 into clinically meaningful procedure category.		
Beginning Position:	125	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 32:	CCS_ PROC_CODE_6 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_6 into clinically meaningful procedure category.		
Beginning Position:	128	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 33:	CCS_ PROC_CODE_7 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_7 into clinically meaningful procedure category.		
Beginning Position:	131	Data Source:	Assigned

Length:	3	Type:	Alphanumeric
Field 34:	CCS_PROC_CODE_8 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_8 into clinically meaningful procedure category.		
Beginning Position:	134	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 35:	CCS_PROC_CODE_9 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_9 into clinically meaningful procedure category.		
Beginning Position:	137	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 36:	CCS_PROC_CODE_10 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_10 into clinically meaningful procedure category.		
Beginning Position:	140	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 37:	CCS_PROC_CODE_11 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_11 into clinically meaningful procedure category.		
Beginning Position:	143	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 38:	CCS_PROC_CODE_12 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_12 into clinically meaningful procedure category.		
Beginning Position:	146	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 39:	CCS_PROC_CODE_13 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_13 into clinically meaningful procedure category.		
Beginning Position:	149	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 40:	CCS_PROC_CODE_14 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_14 into clinically meaningful procedure category.		
Beginning Position:	152	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 41:	CCS_PROC_CODE_15 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_15 into clinically meaningful procedure category.		
Beginning Position:	155	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 42:	CCS_PROC_CODE_16 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_16 into clinically meaningful procedure category.		
Beginning Position:	158	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 43:	CCS_PROC_CODE_17 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_17 into clinically meaningful procedure category.		
Beginning Position:	161	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 44:	CCS_PROC_CODE_18 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_18 into clinically meaningful procedure category.		
Beginning Position:	164	Data Source:	Assigned

Length:	3	Type:	Alphanumeric
Field 45:	CCS_PROC_CODE_19 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_19 into clinically meaningful procedure category.		
Beginning Position:	167	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 46:	CCS_PROC_CODE_20 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_20 into clinically meaningful procedure category.		
Beginning Position:	170	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 47:	CCS_PROC_CODE_21 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_21 into clinically meaningful procedure category.		
Beginning Position:	173	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 48:	CCS_PROC_CODE_22 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_22 into clinically meaningful procedure category.		
Beginning Position:	176	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 49:	CCS_PROC_CODE_23 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_23 into clinically meaningful procedure category.		
Beginning Position:	179	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 50:	CCS_PROC_CODE_24 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_24 into clinically meaningful procedure category.		
Beginning Position:	182	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 51:	CCS_PROC_CODE_25 Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_25 into clinically meaningful procedure category.		
Beginning Position:	185	Data Source:	Assigned
Length:	3	Type:	Alphanumeric
Field 52:	FINAL_EAPG_CATEGORY_CODE_1 Enhanced Ambulatory Patient Group (EAPG) category code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	188	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 53:	FINAL_EAPG_CATEGORY_CODE_2 Enhanced Ambulatory Patient Group (EAPG) category code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	190	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 54:	FINAL_EAPG_CATEGORY_CODE_3 Enhanced Ambulatory Patient Group (EAPG) category code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	192	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 55:	FINAL_EAPG_CATEGORY_CODE_4 Enhanced Ambulatory Patient Group (EAPG) category code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	194	Data Source:	Assigned

Length:	2	Type:	Alphanumeric
Field 56:	FINAL_EAPG_CATEGORY_CODE_5 Enhanced Ambulatory Patient Group (EAPG) category code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	196	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 57:	FINAL_EAPG_CATEGORY_CODE_6 Enhanced Ambulatory Patient Group (EAPG) category code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	198	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 58:	FINAL_EAPG_CATEGORY_CODE_7 Enhanced Ambulatory Patient Group (EAPG) category code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	200	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 59:	FINAL_EAPG_CATEGORY_CODE_8 Enhanced Ambulatory Patient Group (EAPG) category code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	202	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 60:	FINAL_EAPG_CATEGORY_CODE_9 Enhanced Ambulatory Patient Group (EAPG) category code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	204	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 61:	FINAL_EAPG_CATEGORY_CODE_10 Enhanced Ambulatory Patient Group (EAPG) category code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	206	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 62:	FINAL_EAPG_TYPE_CODE_1 Enhanced Ambulatory Patient Group (EAPG) type code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	208	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 63:	FINAL_EAPG_TYPE_CODE_2 Enhanced Ambulatory Patient Group (EAPG) type code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	210	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 64:	FINAL_EAPG_TYPE_CODE_3 Enhanced Ambulatory Patient Group (EAPG) type code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	212	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 65:	FINAL_EAPG_TYPE_CODE_4 Enhanced Ambulatory Patient Group (EAPG) type code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	214	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 66:	FINAL_EAPG_TYPE_CODE_5 Enhanced Ambulatory Patient Group (EAPG) type code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	216	Data Source:	Assigned

Length:	2	Type:	Alphanumeric
Field 67:	FINAL_EAPG_TYPE_CODE_6 Enhanced Ambulatory Patient Group (EAPG) type code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	218	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 68:	FINAL_EAPG_TYPE_CODE_7 Enhanced Ambulatory Patient Group (EAPG) type code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	220	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 69:	FINAL_EAPG_TYPE_CODE_8 Enhanced Ambulatory Patient Group (EAPG) type code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	222	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 70:	FINAL_EAPG_TYPE_CODE_9 Enhanced Ambulatory Patient Group (EAPG) type code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	224	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 71:	FINAL_EAPG_TYPE_CODE_10 Enhanced Ambulatory Patient Group (EAPG) type code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	226	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 72:	FINAL_EAPG_1 Final Enhanced Ambulatory Patient Group (EAPG), as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	228	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 73:	FINAL_EAPG_2 Final Enhanced Ambulatory Patient Group (EAPG), as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	233	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 74:	FINAL_EAPG_3 Final Enhanced Ambulatory Patient Group (EAPG), as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	238	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 75:	FINAL_EAPG_4 Final Enhanced Ambulatory Patient Group (EAPG), as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	243	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 76:	FINAL_EAPG_5 Final Enhanced Ambulatory Patient Group (EAPG), as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	248	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 77:	FINAL_EAPG_6 Final Enhanced Ambulatory Patient Group (EAPG), as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	253	Data Source:	Assigned

Length:	5	Type:	Alphanumeric
Field 78:	FINAL_EAPG_7 Final Enhanced Ambulatory Patient Group (EAPG), as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	258	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 79:	FINAL_EAPG_8 Final Enhanced Ambulatory Patient Group (EAPG), as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	263	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 80:	FINAL_EAPG_9 Final Enhanced Ambulatory Patient Group (EAPG), as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	268	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 81:	FINAL_EAPG_10 Final Enhanced Ambulatory Patient Group (EAPG), as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
Beginning Position:	273	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 82:	EAPG_GRP_VER Enhanced Ambulatory Patient Group Version Number, as assigned by 3M EAPG Grouper		
Beginning Position:	278		
Length:	12	Type:	Alphanumeric
Field 83:	CRG_STATUS_1 Clinical Risk Group (CRG) status code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	290	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 84:	CRG_STATUS_2 Clinical Risk Group (CRG) status code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	291	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 85:	CRG_STATUS_3 Clinical Risk Group (CRG) status code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	292	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 86:	CRG_STATUS_4 Clinical Risk Group (CRG) status code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	293	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 87:	CRG_STATUS_5 Clinical Risk Group (CRG) status code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	294	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 88:	CRG_STATUS_6 Clinical Risk Group (CRG) status code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	295	Data Source:	Assigned
Length:	1	Type:	Alphanumeric

Field 89:	CRG_STATUS_7 Clinical Risk Group (CRG) status code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	296	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 90:	CRG_STATUS_8 Clinical Risk Group (CRG) status code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	297	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 91:	CRG_STATUS_9 Clinical Risk Group (CRG) status code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	298	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 92:	CRG_STATUS_10 Clinical Risk Group (CRG) status code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	299	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 93:	CRG_CODE_1 Clinical Risk Group (CRG) code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	300	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 94:	CRG_CODE_2 Clinical Risk Group (CRG) code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	305	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 95:	CRG_CODE_3 Clinical Risk Group (CRG) code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	310	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 96:	CRG_CODE_4 Clinical Risk Group (CRG) code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	315	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 97:	CRG_CODE_5 Clinical Risk Group (CRG) code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	320	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 98:	CRG_CODE_6 Clinical Risk Group (CRG) code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	325	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 99:	CRG_CODE_7 Clinical Risk Group (CRG) code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	330	Data Source:	Assigned
Length:	5	Type:	Alphanumeric

Field 100:	CRG_CODE_8 Clinical Risk Group (CRG) code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	335	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 101:	CRG_CODE_9 Clinical Risk Group (CRG) code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	340	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 102:	CRG_CODE_10 Clinical Risk Group (CRG) code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	345	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 103:	CRG_SEVERITY_1 Clinical Risk Group (CRG) severity code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	350	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 104:	CRG_SEVERITY_2 Clinical Risk Group (CRG) severity code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	351	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 105:	CRG_SEVERITY_3 Clinical Risk Group (CRG) severity code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	352	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 106:	CRG_SEVERITY_4 Clinical Risk Group (CRG) severity code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	353	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 107:	CRG_SEVERITY_5 Clinical Risk Group (CRG) severity code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	354	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 108:	CRG_SEVERITY_6 Clinical Risk Group (CRG) severity code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	355	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 109:	CRG_SEVERITY_7 Clinical Risk Group (CRG) severity code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	356	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 110:	CRG_SEVERITY_8 Clinical Risk Group (CRG) severity code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	357	Data Source:	Assigned
Length:	1	Type:	Alphanumeric

Field 111:	CRG_SEVERITY_9 Clinical Risk Group (CRG) severity code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	358	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 112:	CRG_SEVERITY_10 Clinical Risk Group (CRG) severity code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
Beginning Position:	359	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 113:	APC_PROCEDURE_CODE_1 Ambulatory Payment Classification (APC) procedure code as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	360	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 114:	APC_PROCEDURE_CODE_2 Ambulatory Payment Classification (APC) procedure code as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	365	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 115:	APC_PROCEDURE_CODE_3 Ambulatory Payment Classification (APC) procedure code as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	370	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 116:	APC_PROCEDURE_CODE_4 Ambulatory Payment Classification (APC) procedure code as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	375	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 117:	APC_PROCEDURE_CODE_5 Ambulatory Payment Classification (APC) procedure code as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	380	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 118:	APC_PROCEDURE_CODE_6 Ambulatory Payment Classification (APC) procedure code as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	385	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 119:	APC_PROCEDURE_CODE_7 Ambulatory Payment Classification (APC) procedure code as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	390	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 120:	APC_PROCEDURE_CODE_8 Ambulatory Payment Classification (APC) procedure code as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	395	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 121:	APC_PROCEDURE_CODE_9 Ambulatory Payment Classification (APC) procedure code as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	400	Data Source:	Assigned
Length:	5	Type:	Alphanumeric

Field 122:	APC_PROCEDURE_CODE_10 Ambulatory Payment Classification (APC) procedure code as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	405	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 123:	APC_PX_STATUS_IND_CODE_1 Ambulatory Payment Classification (APC) procedure status indicator as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	410	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 124:	APC_PX_STATUS_IND_CODE_2 Ambulatory Payment Classification (APC) procedure status indicator as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	412	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 125:	APC_PX_STATUS_IND_CODE_3 Ambulatory Payment Classification (APC) procedure status indicator as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	414	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 126:	APC_PX_STATUS_IND_CODE_4 Ambulatory Payment Classification (APC) procedure status indicator as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	416	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 127:	APC_PX_STATUS_IND_CODE_5 Ambulatory Payment Classification (APC) procedure status indicator as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	418	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 128:	APC_PX_STATUS_IND_CODE_6 Ambulatory Payment Classification (APC) procedure status indicator as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	420	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 129:	APC_PX_STATUS_IND_CODE_7 Ambulatory Payment Classification (APC) procedure status indicator as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	422	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 130:	APC_PX_STATUS_IND_CODE_8 Ambulatory Payment Classification (APC) procedure status indicator as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	424	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 131:	APC_PX_STATUS_IND_CODE_9 Ambulatory Payment Classification (APC) procedure status indicator as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	426	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 132:	APC_PX_STATUS_IND_CODE_10 Ambulatory Payment Classification (APC) procedure status indicator as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	428	Data Source:	Assigned
Length:	2	Type:	Alphanumeric

Field 133:	APC_WEIGHT_1 Ambulatory Payment Classification (APC) weighting as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	430	Data Source:	Assigned
Length:	9	Type:	Alphanumeric
Field 134:	APC_WEIGHT_2 Ambulatory Payment Classification (APC) weighting as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	439	Data Source:	Assigned
Length:	9	Type:	Alphanumeric
Field 135:	APC_WEIGHT_3 Ambulatory Payment Classification (APC) weighting as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	448	Data Source:	Assigned
Length:	9	Type:	Alphanumeric
Field 136:	APC_WEIGHT_4 Ambulatory Payment Classification (APC) weighting as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	457	Data Source:	Assigned
Length:	9	Type:	Alphanumeric
Field 137:	APC_WEIGHT_5 Ambulatory Payment Classification (APC) weighting as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	466	Data Source:	Assigned
Length:	9	Type:	Alphanumeric
Field 138:	APC_WEIGHT_6 Ambulatory Payment Classification (APC) weighting as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	475	Data Source:	Assigned
Length:	9	Type:	Alphanumeric
Field 139:	APC_WEIGHT_7 Ambulatory Payment Classification (APC) weighting as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	484	Data Source:	Assigned
Length:	9	Type:	Alphanumeric
Field 140:	APC_WEIGHT_8 Ambulatory Payment Classification (APC) weighting as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	493	Data Source:	Assigned
Length:	9	Type:	Alphanumeric
Field 141:	APC_WEIGHT_9 Ambulatory Payment Classification (APC) weighting as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	502	Data Source:	Assigned
Length:	9	Type:	Alphanumeric
Field 142:	APC_WEIGHT_10 Ambulatory Payment Classification (APC) weighting as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	511	Data Source:	Assigned
Length:	9	Type:	Alphanumeric
Field 143:	APC_GRP_VER Ambulatory Payment Classification (APC) Version Number as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
Beginning Position:	520	Data Source:	Assigned
Length:	12	Type:	Alphanumeric

CHARGES DATA FILE

Field 1:	RECORD_ID			
Description:	Record Identification Number. Unique number assigned to identify the record. First available 1 st quarter 2002. Does NOT match the RECORD_ID in THCIC Research Data Files (RDF's).			
Beginning Position:	1	Data Source:	Assigned	
Length:	12	Type:	Alphanumeric	
Field 2:	REVENUE_CODE			
Description:	Code corresponding to each specific accommodation, ancillary service or billing calculation related to the services being billed.			
Coding Scheme:	100	All-inclusive room charges plus ancillary	516	Clinic - urgent care
	101	All-inclusive room charges	517	Clinic - family practice
	110	Room charges for private rooms - general	519	Clinic - other
	111	Room charges for private rooms - medical/surgical/GYN	520	Freestanding Clinic - general
	112	Room charges for private rooms - obstetrics	521	Freestanding Clinic - Clinic Visit by Member to RHC/FQHC
	113	Room charges for private rooms - pediatric	522	Freestanding Clinic - Home Visit by RHC/FQHC Practitioner
	114	Room charges for private rooms - psychiatric	523	Freestanding Clinic - family practice
	115	Room charges for private rooms - hospice	524	Freestanding Clinic - Visit by RHC/FQHC Practitioner to a Member in a Covered Part A Stay at SNF
	116	Room charges for private rooms - detoxification	525	Freestanding Clinic - Visit by RHC/FQHC Practitioner to a Member in a SNF (not Covered Part A Stay) or NF or ICF MR or Other Residential Facility
	117	Room charges for private rooms - oncology	526	Freestanding Clinic - urgent care
	118	Room charges for private rooms - rehabilitation	527	Freestanding Clinic - Visiting Nurse Services(s) to a Member's Home when in a Home Health Shortage Area
	119	Room charges for private rooms - other	528	Freestanding Clinic – Visit by RHC/FQHC Practitioner to Other non RHC/FQHC Site (e.g. Scene of Accident)
	120	Room charges for semi-private rooms - general	529	Freestanding Clinic - other
	121	Room charges for semi-private rooms - medical/surgical/GYN	530	Osteopathic service - general
	122	Room charges for semi-private rooms - obstetrics	531	Osteopathic service - therapy
	123	Room charges for semi-private rooms - pediatric	539	Osteopathic service - other
	124	Room charges for semi-private rooms - psychiatric	540	Ambulance service - general
	125	Room charges for semi-private rooms - hospice	541	Ambulance service - supplies
	126	Room charges for semi-private rooms - detoxification	542	Ambulance service - medical transport
	127	Room charges for semi-private rooms - oncology	543	Ambulance service - heart mobile
	128	Room charges for semi-private rooms - rehabilitation	544	Ambulance service - oxygen
	129	Room charges for semi-private rooms - other	545	Ambulance service - air ambulance
	130	Room charges for semi-private - 3/4 beds - rooms - general	546	Ambulance service - neonatal
	131	Room charges for semi-private - 3/4 beds - rooms - medical/surgical/GYN	547	Ambulance service - pharmacy
	132	Room charges for semi-private - 3/4 beds - rooms - obstetrics	548	Ambulance service - telephone transmission EKG
	133	Room charges for semi-private - 3/4 beds - rooms - pediatric	549	Ambulance service - other
	134	Room charges for semi-private - 3/4 beds - rooms - psychiatric	550	Skilled nursing - general
	135	Room charges for semi-private - 3/4 beds - rooms - hospice	551	Skilled nursing - visit charge
	136	Room charges for semi-private - 3/4 beds - rooms - detoxification	552	Skilled nursing - hourly charge

137	Room charges for semi-private - 3/4 beds - rooms - oncology	559	Skilled nursing - other
138	Room charges for semi-private - 3/4 beds - rooms - rehabilitation	560	Medical social services - general
139	Room charges for semi-private - 3/4 beds - rooms - other	561	Medical social services - visit charge
140	Room charges for private (deluxe) rooms - general	562	Medical social services - hourly charge
141	Room charges for private (deluxe) rooms - medical/surgical/GYN	569	Medical social services - other
142	Room charges for private (deluxe) rooms - obstetrics	570	Home health aide - general
143	Room charges for private (deluxe) rooms - pediatric	571	Home health aide - visit charge
144	Room charges for private (deluxe) rooms - psychiatric	572	Home health aide - hourly charge
145	Room charges for private (deluxe) rooms - hospice	579	Home health aide - other
146	Room charges for private (deluxe) rooms - detoxification	580	Other visits (home health) - general
147	Room charges for private (deluxe) rooms - oncology	581	Other visits (home health) - visit charge
148	Room charges for private (deluxe) rooms - rehabilitation	582	Other visits (home health) - hourly charge
149	Room charges for private (deluxe) rooms - other	583	Other visits (home health) - assessment
150	Room charges for ward rooms - general	589	Other visits (home health) - other
151	Room charges for ward rooms - medical/surgical/GYN	590	Units of service (home health) - general
152	Room charges for ward rooms - obstetrics	599	Units of service (home health) - other
153	Room charges for ward rooms - pediatric	600	Oxygen (home health) - general
154	Room charges for ward rooms - psychiatric	601	Oxygen (home health) - stat/equip/supply or contents
155	Room charges for ward rooms - hospice	602	Oxygen (home health) - stat/equip/supply under 1 liter per minute
156	Room charges for ward rooms - detoxification	603	Oxygen (home health) - stat/equip/supply over 4 liters per minute
157	Room charges for ward rooms - oncology	604	Oxygen (home health) - portable add-in
158	Room charges for ward rooms - rehabilitation	610	MRI - general
159	Room charges for ward rooms - other	611	MRI - brain (including brain stem)
160	Room charges for other rooms - general	612	MRI - spinal cord (including spine)
161	Room charges for other rooms - medical/surgical/GYN	619	MRI - other
162	Room charges for other rooms - obstetrics	621	Medical/surgical supplies - incident to radiology
163	Room charges for other rooms - pediatric	622	Medical/surgical supplies - incident to other diagnostic services
164	Room charges for other rooms - psychiatric	623	Medical/surgical supplies - surgical dressings
165	Room charges for other rooms - hospice	624	Medical/surgical supplies - FDA investigational devices
166	Room charges for other rooms - detoxification	630	Drugs requiring specific identification - general
167	Room charges for other rooms - oncology	631	Drugs requiring specific identification - single source
168	Room charges for other rooms - rehabilitation	632	Drugs requiring specific identification - multiple source
169	Room charges for other rooms - other	633	Drugs requiring specific identification - restrictive prescription
170	Room charges for nursery - general	634	Drugs requiring specific identification - EPO, less than 10,000 units
171	Room charges for nursery - newborn level I	635	Drugs requiring specific identification - EPO, 10,000 or more units
172	Room charges for nursery - newborn level II	636	Drugs requiring specific identification - requiring detailed coding
173	Room charges for nursery - newborn level III	637	Drugs requiring specific identification - self-adminstrable nto requiring detailed coding
174	Room charges for nursery - newborn level IV	640	Home IV therapy services - general
179	Room charges for nursery - other	641	Home IV therapy services - nonroutine nursing, central line

180	Room charges for LOA - general	642	Home IV therapy services - IV site care, central line
182	Room charges for LOA - patient convenience-charges billable	643	Home IV therapy services - IV start/change, peripheral line
183	Room charges for LOA - therapeutic leave	644	Home IV therapy services - nonroutine nursing, peripheral line
184	Room charges for LOA - ICF mentally retarded - any reason	645	Home IV therapy services - training patient/caregiver, central line
185	Room charges for LOA - hospitalization	646	Home IV therapy services - training, disabled patient, central line
189	Room charges for LOA - other	647	Home IV therapy services - training, patient/caregiver, peripheral
190	Room charges for subacute care - general	648	Home IV therapy services - training, disabled patient, peripheral
191	Room charges for subacute care - Level I (skilled care)	649	Home IV therapy services - other
192	Room charges for subacute care - Level II (comprehensive care)	650	Hospice services - general
193	Room charges for subacute care - Level III (complex care)	651	Hospice services - routine home care
194	Room charges for subacute care - Level IV (intensive care)	652	Hospice services - continuous home care
199	Room charges for subacute care - other	655	Hospice services - inpatient respite care
200	Room charges for intensive care - general	656	Hospice services - general inpatient care (nonrespite)
201	Room charges for intensive care - surgical	657	Hospice services - physician services
202	Room charges for intensive care - medical	658	Hospice services - room and board - nursing facility
203	Room charges for intensive care - pediatric	659	Hospice services - other
204	Room charges for intensive care - psychiatric	660	Respite care - general
206	Room charges for intensive care - intermediate intensive care unit (ICU)	661	Respite care - hourly charge/skilled nursing
207	Room charges for intensive care - burn care	662	Respite care - hourly charge/aide/homemaker/companion
208	Room charges for intensive care - trauma	663	Respite care - daily charge
209	Room charges for intensive care - other	669	Respite care - other
210	Room charges for coronary care - general	670	Outpatient special residence - general
211	Room charges for coronary care - myocardial infarction	671	Outpatient special residence - hospital based
212	Room charges for coronary care - pulmonary care	672	Outpatient special residence - contracted
213	Room charges for coronary care - heart transplant	679	Outpatient special residence - other
214	Room charges for coronary care - intermediate coronary care unit (CCU)	681	Trauma response - level I
219	Room charges for coronary care - other	682	Trauma response - level II
220	Special charges - general	683	Trauma response - level III
221	Special charges - admission charge	684	Trauma response - level IV
222	Special charges - technical support charge	689	Trauma response - other
223	Special charges - UR service charge	700	Cast Room services - general
224	Special charges - late discharge, medically necessary	709	Cast Room services - other
229	Special charges - other	710	Recovery Room services - general
230	Incremental nursing care - general	719	Recovery Room services - other
231	Incremental nursing care - nursery	720	Labor/Delivery Room services - general
232	Incremental nursing care - OB	721	Labor/Delivery Room services - labor
233	Incremental nursing care - ICU (includes transitional care)	722	Labor/Delivery Room services - delivery
234	Incremental nursing care - CCU (includes transitional care)	723	Labor/Delivery Room services - circumcision
235	Incremental nursing care - hospice	724	Labor/Delivery Room services - birthing center
239	Incremental nursing care - other	729	Labor/Delivery Room services - other
240	All-inclusive ancillary - general	730	EKG/ECG services - general
249	All-inclusive ancillary - other	731	EKG/ECG services - holter monitor
250	Pharmacy - general	732	EKG/ECG services - telemetry

251	Pharmacy - generic drugs	739	EKG/ECG services - other
252	Pharmacy - nongeneric drugs	740	EEG services - general
253	Pharmacy - take-home drugs	749	EEG services - other
254	Pharmacy - drugs incident to other diagnostic services	750	Gastrointestinal services - general
255	Pharmacy - drugs incident to radiology	759	Gastrointestinal services - other
256	Pharmacy - experimental drugs	760	Treatment or observation room services - general
257	Pharmacy - nonprescription	761	Specialty Room - Treatment/ Observation Room - Treatment Room
258	Pharmacy - IV solutions	762	Specialty Room - Treatment/ Observation Room - Observation Room
259	Pharmacy - other		
260	IV Therapy - general	769	Treatment or observation room services - other
261	IV Therapy - infusion pump	770	Preventive care services - general
262	IV Therapy - pharmacy services	771	Preventive care services - vaccine administration
263	IV Therapy - drug/supply delivery	779	Preventive care services - other
264	IV Therapy - supplies	780	Telemedicine services - general
269	IV Therapy - other	789	Telemedicine services - other
270	Medical surgical supplies and devices - general	790	Lithotripsy services - general
271	Medical surgical supplies and devices - nonsterile	790	Extra-corporeal shockwave therapy - general
272	Medical surgical supplies and devices - sterile	799	Extra-corporeal shockwave therapy - other
273	Medical surgical supplies and devices - take-home	799	Lithotripsy services - other
274	Medical surgical supplies and devices - prosthetic/orthotic	800	Inpatient renal dialysis services - general
275	Medical surgical supplies and devices - pacemaker	801	Inpatient renal dialysis services - hemodialysis
276	Medical surgical supplies and devices - intraocular lens (IOL)	802	Inpatient renal dialysis services - peritoneal (non-CAPD)
277	Medical surgical supplies and devices - oxygen - take-home	803	Inpatient renal dialysis services - continuous ambulatory peritoneal dialysis (CAPD)
278	Medical surgical supplies and devices - other implants	804	Inpatient renal dialysis services - continuous cycling peritoneal dialysis (CAPD)
279	Medical surgical supplies and devices - other	809	Inpatient renal dialysis services - other
280	Oncology - general	810	Organ acquisition - general
289	Oncology - other	811	Organ acquisition - living donor
290	DME - general	812	Organ acquisition - cadaver donor
291	DME - rental	813	Organ acquisition - unknown donor
292	DME - purchase of new	814	Organ acquisition - unsuccessful organ search-donor bank charges
293	DME - purchase of used	819	Organ acquisition - other donor
294	DME - supplies/drugs for DME effectiveness	820	Hemodialysis - outpatient or home - general
299	DME - other equipment	821	Hemodialysis - outpatient or home - composite or other rate
300	Laboratory - general	825	Hemodialysis - outpatient or home - support services
301	Laboratory - chemistry	829	Hemodialysis - outpatient or home - other
302	Laboratory - immunology	830	Peritoneal dialysis - outpatient or home - general
303	Laboratory - renal patient (home)	831	Peritoneal dialysis - outpatient or home - composite or other rate
304	Laboratory - nonroutine dialysis	835	Peritoneal dialysis - outpatient or home - support services
305	Laboratory - hematology	839	Peritoneal dialysis - outpatient or home - other
306	Laboratory - bacteriology and microbiology	840	CAPD - outpatient or home - general
307	Laboratory - urology	841	CAPD - outpatient or home - composite or other rate
309	Laboratory - other	845	CAPD - outpatient or home - support services
310	Laboratory pathological - general	849	CAPD - outpatient or home - other
311	Laboratory pathological - cytology	850	CCPD - outpatient or home - general

312	Laboratory pathological - histology	851	CCPD - outpatient or home - composite or other rate
313	Laboratory pathological - biopsy	855	CCPD - outpatient or home - support services
319	Laboratory pathological - other	859	CCPD - outpatient or home - other
320	Radiology - diagnostic - general	880	Miscellaneous dialysis - general
321	Radiology - diagnostic - angiocardiology	881	Miscellaneous dialysis - ultrafiltration
322	Radiology - diagnostic - arthrography	882	Miscellaneous dialysis - home aide visit
323	Radiology - diagnostic - arteriography	889	Miscellaneous dialysis - other
324	Radiology - diagnostic - chest x-ray	900	Behavior health treatments/services - general
329	Radiology - diagnostic - other	901	Behavior health treatments/services - electroshock
330	Radiology - therapeutic and/or chemotherapy administration - general	902	Behavior health treatments/services - milieu therapy
331	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - injected	903	Behavioral health treatments/services - play therapy
332	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - oral	904	Behavior health treatments/services - activity therapy
333	Radiology - therapeutic and/or chemotherapy administration - radiation therapy	905	Behavior health treatments/services - intensive outpatient services - psychiatric
335	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - IV	906	Behavior health treatments/services - intensive outpatient services - chemical dependency
339	Radiology - therapeutic and/or chemotherapy administration - other	907	Behavior health treatments/services - community behavioral health program
340	Nuclear medicine - general	909	Behavior health treatments - other
341	Nuclear medicine - diagnostic procedures	910	Reserved
342	Nuclear medicine - therapeutic procedures	911	Behavior health treatment/services - rehabilitation
343	Nuclear medicine - diagnostic radiopharmaceuticals	912	Behavior health treatment/services - partial hospitalization - less intensive
344	Nuclear medicine - therapeutic radiopharmaceuticals	913	Behavior health treatment/services - partial hospitalization - intensive
349	Nuclear medicine - other	914	Behavior health treatment/services - individual therapy
350	CT scan - general	915	Behavior health treatment/services - group therapy
351	CT scan - head	916	Behavior health treatment/services - family therapy
352	CT scan - body	917	Behavior health treatment/services - biofeedback
359	CT scan - other	918	Behavior health treatment/services - testing
360	Operating room services - general	919	Behavior health treatment/services - other
361	Operating room services - minor surgery	920	Other diagnostic services - general
362	Operating room services - organ transplant other than kidney	921	Other diagnostic services - peripheral vascular lab
367	Operating room services - kidney transplant	922	Other diagnostic services - electromyogram
369	Operating room services - other	923	Other diagnostic services - pap smear
370	Anesthesia - general	924	Other diagnostic services - allergy test
371	Anesthesia - incident to radiology	925	Other diagnostic services - pregnancy test
372	Anesthesia - incident to other diagnostic services	929	Other diagnostic services - other
374	Anesthesia - acupuncture	931	Medical rehabilitation day program - half day
379	Anesthesia - other	932	Medical rehabilitation day program - full day
380	Blood - general	940	Other therapeutic services - general
381	Blood - packed red cells	941	Other therapeutic services - recreational therapy
382	Blood - whole blood	942	Other therapeutic services - education/training
383	Blood - plasma	943	Other therapeutic services - cardiac rehabilitation
384	Blood - platelets	944	Other therapeutic services - drug rehabilitation
385	Blood - leukocytes	945	Other therapeutic services - alcohol rehabilitation
386	Blood - other components	946	Other therapeutic services - complex medical equipment - routine
387	Blood - other derivatives (cryoprecipitates)	947	Other therapeutic services - complex medical equipment - ancillary

389	Blood - other	949	Other therapeutic services - other
390	Blood amd blood component administration, storage and processing - general	960	Professional fees - general
391	Blood and blood component administration, storage and processing - administration	961	Professional fees - psychiatric
399	Blood and blood component administration, storage and processing - other	962	Professional fees - ophthalmology
400	Other imaging services - general	963	Professional fees - anesthesiologist (MD)
401	Other imaging services - diagnostic mammography	964	Professional fees - anesthetist (CRNA)
402	Other imaging services - ultrasound	969	Professional fees - other
403	Other imaging services - screening mammography	970	Professional fees - general
404	Other imaging services - PET	971	Professional fees - laboratory
409	Other imaging services - other	972	Professional fees - radiology - diagnostic
410	Respiratory services - general	973	Professional fees - radiology - therapeutic
412	Respiratory services - inhalation	974	Professional fees - readiology - nuclear medicine
413	Respiratory services - hyperbaric oxygen therapy	975	Professional fees - operating room
419	Respiratory services - other	976	Professional fees - respiratory therapy
420	Physical therapy - general	977	Professional fees - physical therapy
421	Physical therapy - visit charge	978	Professional fees - occupational therapy
422	Physical therapy - hourly charge	979	Professional fees - speech therapy
423	Physical therapy - group rate	980	Professional fees - general
424	Physical therapy - evaluation or reevaluation	981	Professional fees - emergency room
429	Physical therapy - other	982	Professional fees - outpatient services
430	Occupational therapy - general	983	Professional fees - clinic
431	Occupational therapy - visit charge	984	Professional fees - medical social services
432	Occupational therapy - hourly charge	985	Professional fees - EKG
433	Occupational therapy - group rate	986	Professional fees - EEG
434	Occupational therapy - evaluation or reevaluation	987	Professional fees - hospital visit
439	Occupational therapy - other	988	Professional fees - consultation
440	Speech-language pathology - general	989	Professional fees - private duty nurse
441	Speech-language pathology - visit charge	990	Patient convenience items - general
442	Speech-language pathology - hourly charge	991	Patient convenience items - cafeteria/guest tray
443	Speech-language pathology - group rate	992	Patient convenience items - private linen service
444	Speech-language pathology - evaluation or reevaluation	993	Patient convenience items - telephone/telegraph
449	Speech-language pathology - other	994	Patient convenience items - TV/radio
450	Emergency room - general	995	Patient convenience items - nonpatient room rentals
451	Emergency room - EMTALA emergency medical screening services	996	Patient convenience items - late discharge charge
452	Emergency room - beyond EMTALA screening	997	Patient convenience items - admission kits
456	Emergency room - urgent care	998	Patient convenience items - beauty shop/barber
459	Emergency room - other	999	Patient convenience items - other
460	Pulmonary function - general	1000	Behavior health accommodations - general
469	Pulmonary function - other	1001	Behavior health accommodations - residential treatment - psychiatric
470	Audiology - general	1002	Behavior health accommodations - residential treatment - chemical dependency
471	Audiology - diagnostic	1003	Behavior health accommodations - supervised living
472	Audiology - treatment	1004	Behavior health accommodations - halfway house
479	Audiology - other	1005	Behavior health accommodations - group home
480	Cardiology - general	2100	Alternative therapy services - general
481	Cardiology - cardiac cath lab	2101	Alternative therapy services - acupuncture
482	Cardiology - stress test	2102	Alternative therapy services - acupressure
483	Cardiology - echocardiology	2103	Alternative therapy services - massage

	489	Cardiology - other	2104	Alternative therapy services - reflexology
	490	Ambulatory surgical care - general	2105	Alternative therapy services - biofeedback
	499	Ambulatory surgical care - other	2106	Alternative therapy services - hypnosis
	500	Outpatient services - general	2109	Alternative therapy services - other
	509	Outpatient services - other	3101	Adult day care, medical and social - hourly
	510	Clinic - general	3102	Adult day care, social - hourly
	511	Clinic - chronic pain	3103	Adult day care, medical and social - daily
	512	Clinic - dental	3104	Adult day care, social - daily
	513	Clinic - psychiatric	3105	Adult foster care - daily
	514	Clinic - OB/GYN	3109	Adult foster care - other
	515	Clinic - pediatric		
Beginning Position:	13		Data Source:	Claim
Length:	4		Type:	Alphanumeric
Field 3:	HCPCS_QUALIFIER			
Description:				
Beginning Position:	17		Data Source:	Claim
Length:	2		Type:	Alphanumeric
Field 4:	HCPCS_PROCEDURE_CODE			
Description:	HCFA Common Procedure Coding System (HCPCS) code applicable to ancillary services or accommodations.			
Coding Scheme:	See http://www.cms.hhs.gov/HCPCSReleaseCodeSets/ANHCPCS/list.asp for complete list of Level II HCPCS codes.			
Beginning Position:	19		Data Source:	Claim
Length:	5		Type:	Alphanumeric
Field 5:	MODIFIER_1			
Description:	Identifies special circumstances related to the performance of the service			
Coding Scheme:	0	No assessment completed	F2	Left hand, third digit
	1	Medicare 5 day assessment (full)	F3	Left hand, fourth digit
	2	Medicare 30 day assessment (full)	F4	Left hand, fifth digit
	3	Medicare 60 day assessment (full)	F5	Right hand, thumb
	4	Medicare 90 day assessment (full)	F6	Right hand, second digit
	7	Medicare 14 day assessment (comprehensive or full)	F7	Right hand, third digit
	8	Other Medicare required assessment (OMRA)	F8	Right hand, fourth digit
	11	Admission assessment - Medicare 5 day assessment (comprehensive)	F9	Right hand, fifth digit
	25	Significant, separately identifiable evaluation and management service by the same physician on the same day of the procedure o	FA	Left hand, thumb
	31	SCSA or OMRA/Medicare 5 day assessment (replacement)	G1	Most recent URR of less than 60%
	32	SCSA or OMRA/Medicare 30 day assessment (replacement)	G2	Most recent URR of 60% to 64%
	33	SCSA or OMRA/Medicare 60 day assessment (replacement)	G3	Most recent URR of 65% to 69.9%
	34	SCSA or OMRA/Medicare 90 day assessment (replacement)	G4	Most recent URR of 70% to 74.9%
	37	SCSA or OMRA/Medicare 14 day assessment (replacement)	G5	Most recent URR of 75% or greater
	38	Significant change in status assessment (SCSA)	GN	Service delivered personally by a speech-language pathologist or under an outpatient speech-language pathology plan of care.
	41	Significant correction of prior full assessment/Medicare 5 day assessment	GO	Service delivered personally by an occupational therapist or under an outpatient occupational therapy plan of care.
	42	Significant correction of prior full assessment/Medicare 30 day assessment	GP	Service delivered personally by an physical therapist or under an outpatient physical therapy plan of care.
	43	Significant correction of prior full assessment/Medicare 60 day assessment	LC	Left circumflex coronary artery
	44	Significant correction of prior full assessment/Medicare 90 day assessment	LD	Left anterior descending coronary artery

	47	Significant correction of prior full assessment/Medicare 14 day assessment	LT	Left side of the body procedure
	48	Significant correction of prior full assessment/OMRA or SCSA	QM	Ambulance service provided under arrangement by a provider of services
	50	Bilateral procedure	QN	Ambulance service furnished directly by a provider of services
	52	Reduced services	QP	Documentation exists showing that the laboratory test(s) was ordered individually, or as CPT-recognized panel other than profil
	53	Discontinued procedure	RC	Right coronary artery
	54	Quarterly review assessment - Medicare 90 assessment (full)	RT	Right side of the body procedure
	58	Staged or related procedure or service by the same physician during the postoperative period	T1	Left foot, second digit
	59	Distinct procedural service	T2	Left foot, third digit
	76	Repeat procedure by same physician	T3	Left foot, fourth digit
	77	Repeat procedure by another physician	T4	Left foot, fifth digit
	78	Return to the operating room for a related procedure during the postoperative period	T5	Right foot, great toe
	79	Unrelated procedure of service by the same physician during the postoperative period	T6	Right foot, second digit
	E1	Upper left eyelid	T7	Right foot, third digit
	E2	Lower left eyelid	T8	Right foot, fourth digit
	E3	Upper right eyelid	T9	Right foot, fifth digit
	E4	Lower right eyelid	TA	Left foot, great toe
	F1	Left hand, second digit		
Beginning Position:	24		Data Source:	Claim
Length:	2		Type:	Alphanumeric
Field 6:	MODIFIER_2			
Description:	Identifies special circumstances related to the performance of the service.			
Coding Scheme:	Same as Field 5			
Beginning Position:	26		Data Source:	Claim
Length:	2		Type:	Alphanumeric
Field 7:	MODIFIER_3			
Description:	Identifies special circumstances related to the performance of the service.			
Coding Scheme:	Same as Field 5			
Beginning Position:	28		Data Source:	Claim
Length:	2		Type:	Alphanumeric
Field 8:	MODIFIER_4			
Description:	Identifies special circumstances related to the performance of the service.			
Coding Scheme:	Same as Field 5			
Beginning Position:	30		Data Source:	Claim
Length:	2		Type:	Alphanumeric
Field 9:	UNIT_MEASUREMENT_CODE			
Description:	Code specifying the units in which a value is being expressed.			
Coding Scheme:	DA Days F2 International unit UN Unit			
Beginning Position:	32		Data Source:	Claim
Length:	2		Type:	Alphanumeric
Field 10:	UNITS_OF_SERVICE			
Description:	Numeric value of quantity			
Beginning Position:	34		Data Source:	Claim
Length:	7		Type:	Numeric
Field 11:	UNIT_RATE			
Description:	Rate per unit			
Beginning Position:	41		Data Source:	Claim
Length:	12		Type:	Numeric
Field 12:	CHRGs_LINE_ITEM			

Description:	Total amount of the charge	Data Source:	Assigned
Beginning Position:	53	Type:	Numeric
Length:	14		
Field 13:	CHRGs_NON_COV		
Description:	Total non-covered amount of the charge	Data Source:	Assigned
Beginning Position:	67	Type:	Numeric
Length:	14		

FACILITY TYPE INDICATOR FILE

Facility type indicators provided by the facilities. Provide the data user with information on the type of facility providing the outpatient service.

Field 1:	THCIC_ID		
Description:	Provider ID. Unique identifier assigned to the provider by DSHS.	Data Source:	Assigned
Beginning Position:	1	Type:	Alphanumeric
Length:	6		
Field 2:	PROVIDER_NAME		
Description:	Hospital name provided by the hospital.	Data Source:	Provider
Beginning Position:	7	Type:	Alphanumeric
Length:	55		
Field 3:	FAC_TEACHING_IND		
Description:	Teaching facility indicator.		
Coding Scheme:	A Member, Council of Teaching Hospitals X Other teaching facility	Data Source:	Provider
Beginning Position:	62	Type:	Alphanumeric
Length:	1		
Field 4:	FAC_PSYCH_IND		
Description:	Psychiatric facility indicator.	Data Source:	Provider
Beginning Position:	63	Type:	Alphanumeric
Length:	1		
Field 5:	FAC_REHAB_IND		
Description:	Rehabilitation facility indicator.	Data Source:	Provider
Beginning Position:	64	Type:	Alphanumeric
Length:	1		
Field 6:	FAC_ACUTE_CARE_IND		
Description:	Acute care facility indicator.	Data Source:	Provider
Beginning Position:	65	Type:	Alphanumeric
Length:	1		
Field 7:	FAC_SNF_IND		
Description:	Skilled nursing facility indicator.	Data Source:	Provider
Beginning Position:	66	Type:	Alphanumeric
Length:	1		
Field 8:	FAC_LONG_TERM_AC_IND		
Description:	Long term acute care facility indicator.	Data Source:	Provider
Beginning Position:	67	Type:	Alphanumeric
Length:	1		
Field 9:	FAC_OTHER_LTC_IND		
Description:	Other long term care facility indicator.	Data Source:	Provider
Beginning Position:	68	Type:	Alphanumeric
Length:	1		
Field 10:	FAC_PEDS_IND		

Description:	Pediatric facility Indicator.		
Coding Scheme:	C Member, National Association of Children's Hospitals and Related Institutions (NACHRI) X Facilities that also treat children		
Beginning Position:	69	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 11:	FAC_CARDIOVASCULAR_IND		
Description:	Cardiovascular facility indicator.		
Beginning Position:	70	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 12:	FAC_CHIROPRACTIC_IND		
Description:	Chiropractic care facility indicator.		
Beginning Position:	71	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 13:	FAC_ENDOSCOPY_IND		
Description:	Endoscopy facility indicator.		
Beginning Position:	72	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 14:	FAC_FOOT_IND		
Description:	Foot care facility indicator.		
Beginning Position:	73	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 15:	FAC_GASTROENTEROLOGY_IND		
Description:	Gastroenterology facility indicator.		
Beginning Position:	74	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 16:	FAC_GENERAL_IND		
Description:	General care facility indicator.		
Beginning Position:	75	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 17:	FAC_NEUROLOGICAL_IND		
Description:	Neurological care facility indicator.		
Beginning Position:	76	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 18:	FAC_OB_GYN_IND		
Description:	Obstetric and gynecology facility indicator.		
Beginning Position:	77	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 19:	FAC_OPTHAMOLOGY_IND		
Description:	Opthamology facility indicator.		
Beginning Position:	78	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 20:	FAC_ORAL_IND		
Description:	Oral health care facility indicator.		
Beginning Position:	79	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 21:	FAC_ORTHOPEDIC_IND		
Description:	Orthopedic care facility indicator.		
Beginning Position:	80	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 22:	FAC_OTOLARYNGOLOGY_IND		
Description:	Otolaryngology facility indicator.		
Beginning Position:	81	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 23:	FAC_PAIN_MNGMT_IND		
Description:	Pain management facility indicator.		

Beginning Position:	82	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 24:	FAC_PLASTIC_IND		
Description:	Plastic surgery facility indicator.		
Beginning Position:	83	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 25:	FAC_THORACIC_IND		
Description:	Thoracic care facility Indicator.		
Beginning Position:	84	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 26:	FAC_UROLOGY_IND		
Description:	Urology care facility indicator.		
Beginning Position:	85	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 27:	FAC_OTHER_IND		
Description:	Other facility indicator.		
Beginning Position:	86	Data Source:	Provider
Length:	1	Type:	Alphanumeric



Texas Outpatient Services Data Public Use Data File

Base Data File
Classifications Data File
Charges Data File
Facility Indicators Data File

Data Fields

Fields that are shaded are not available in this release of data.

Base Data File

NUMBER	FIELD NAME	POSITION	LENGTH	FIELD TYPE
1	SERVICE_QUARTER	1	6	Alphanumeric
2	RECORD_ID - Does NOT match the THCIC RECORD_ID in Research Data Files (RDF's).	7	12	Alphanumeric
3	THCIC_ID	19	6	Alphanumeric
4	PROVIDER_NAME	25	55	Alphanumeric
5	SPEC_UNIT	80	5	Alphanumeric
5a	SPEC_UNIT_1 (fixed length format only)	80	1	Alphanumeric
5b	SPEC_UNIT_2 (fixed length format only)	81	1	Alphanumeric
5c	SPEC_UNIT_3 (fixed length format only)	82	1	Alphanumeric
5d	SPEC_UNIT_4 (fixed length format only)	83	1	Alphanumeric
5e	SPEC_UNIT_5 (fixed length format only)	84	1	Alphanumeric
6	SEX_CODE	85	1	Alphanumeric
7	PAT_COUNTY	86	3	Alphanumeric
8	PAT_STATE	89	2	Alphanumeric
9	PAT_ZIP	91	5	Alphanumeric
10	PAT_COUNTRY	96	2	Alphanumeric
11	PUBLIC_HEALTH_REGION	98	2	Alphanumeric
12	LENGTH_OF_SERVICE	100	2	Alphanumeric
13	PAT_AGE	102	2	Alphanumeric
14	RACE	104	1	Alphanumeric
15	ETHNICITY	105	1	Alphanumeric
16	FIRST_PAYMENT_SRC	106	2	Alphanumeric
17	SECONDARY_PAYMENT_SRC	108	2	Alphanumeric
18	TYPE_OF_BILL	110	3	Alphanumeric
19	CONDITION_CODE_1	113	2	Alphanumeric
20	CONDITION_CODE_2	115	2	Alphanumeric
21	CONDITION_CODE_3	117	2	Alphanumeric
22	CONDITION_CODE_4	119	2	Alphanumeric
23	CONDITION_CODE_5	121	2	Alphanumeric
24	CONDITION_CODE_6	123	2	Alphanumeric
25	CONDITION_CODE_7	125	2	Alphanumeric
26	CONDITION_CODE_8	127	2	Alphanumeric
27	PAT_REASON_FOR_VISIT	129	5	Alphanumeric
28	PRINC_DIAG_CODE	134	5	Alphanumeric
29	OTHER_DIAG_CODE_1	139	5	Alphanumeric
30	OTHER_DIAG_CODE_2	144	5	Alphanumeric
31	OTHER_DIAG_CODE_3	149	5	Alphanumeric

32	OTHER_DIAG_CODE_4	154	5	Alphanumeric
33	OTHER_DIAG_CODE_5	159	5	Alphanumeric
34	OTHER_DIAG_CODE_6	164	5	Alphanumeric
35	OTHER_DIAG_CODE_7	169	5	Alphanumeric
36	OTHER_DIAG_CODE_8	174	5	Alphanumeric
37	OTHER_DIAG_CODE_9	179	5	Alphanumeric
38	OTHER_DIAG_CODE_10	184	5	Alphanumeric
39	OTHER_DIAG_CODE_11	189	5	Alphanumeric
40	OTHER_DIAG_CODE_12	194	5	Alphanumeric
41	OTHER_DIAG_CODE_13	199	5	Alphanumeric
42	OTHER_DIAG_CODE_14	204	5	Alphanumeric
43	OTHER_DIAG_CODE_15	209	5	Alphanumeric
44	OTHER_DIAG_CODE_16	214	5	Alphanumeric
45	OTHER_DIAG_CODE_17	219	5	Alphanumeric
46	OTHER_DIAG_CODE_18	224	5	Alphanumeric
47	OTHER_DIAG_CODE_19	229	5	Alphanumeric
48	OTHER_DIAG_CODE_20	234	5	Alphanumeric
49	OTHER_DIAG_CODE_21	239	5	Alphanumeric
50	OTHER_DIAG_CODE_22	244	5	Alphanumeric
51	OTHER_DIAG_CODE_23	249	5	Alphanumeric
52	OTHER_DIAG_CODE_24	254	5	Alphanumeric
53	RELATED_CAUSE_CODE_1	259	2	Alphanumeric
54	RELATED_CAUSE_CODE_2	261	2	Alphanumeric
55	RELATED_CAUSE_CODE_3	263	2	Alphanumeric
56	E_CODE_1	265	5	Alphanumeric
57	E_CODE_2	270	5	Alphanumeric
58	E_CODE_3	275	5	Alphanumeric
59	E_CODE_4	280	5	Alphanumeric
60	E_CODE_5	285	5	Alphanumeric
61	E_CODE_6	290	5	Alphanumeric
62	E_CODE_7	295	5	Alphanumeric
63	E_CODE_8	300	5	Alphanumeric
64	E_CODE_9	305	5	Alphanumeric
65	E_CODE_10	310	5	Alphanumeric
66	PROC_CODE_1	315	5	Alphanumeric
67	PROC_CODE_2	320	5	Alphanumeric
68	PROC_CODE_3	325	5	Alphanumeric
69	PROC_CODE_4	330	5	Alphanumeric
70	PROC_CODE_5	335	5	Alphanumeric
71	PROC_CODE_6	340	5	Alphanumeric
72	PROC_CODE_7	345	5	Alphanumeric
73	PROC_CODE_8	350	5	Alphanumeric
74	PROC_CODE_9	355	5	Alphanumeric
75	PROC_CODE_10	360	5	Alphanumeric
76	PROC_CODE_11	365	5	Alphanumeric
77	PROC_CODE_12	370	5	Alphanumeric
78	PROC_CODE_13	375	5	Alphanumeric
79	PROC_CODE_14	380	5	Alphanumeric
80	PROC_CODE_15	385	5	Alphanumeric
81	PROC_CODE_16	390	5	Alphanumeric
82	PROC_CODE_17	395	5	Alphanumeric
83	PROC_CODE_18	400	5	Alphanumeric
84	PROC_CODE_19	405	5	Alphanumeric

85	PROC_CODE_20	410	5	Alphanumeric
86	PROC_CODE_21	415	5	Alphanumeric
87	PROC_CODE_22	420	5	Alphanumeric
88	PROC_CODE_23	425	5	Alphanumeric
89	PROC_CODE_24	430	5	Alphanumeric
90	PROC_CODE_25	435	5	Alphanumeric
91	OTHER_AMOUNT	440	12	Numeric
92	PHARM_AMOUNT	452	12	Numeric
93	MEDSURG_AMOUNT	464	12	Numeric
94	DME_AMOUNT	476	12	Numeric
95	USED_DME_AMOUNT	488	12	Numeric
96	PT_AMOUNT	500	12	Numeric
97	OT_AMOUNT	512	12	Numeric
98	SPEECH_AMOUNT	524	12	Numeric
99	IT_AMOUNT	536	12	Numeric
100	BLOOD_AMOUNT	548	12	Numeric
101	BLOOD_ADM_AMOUNT	560	12	Numeric
102	OR_AMOUNT	572	12	Numeric
103	LITH_AMOUNT	584	12	Numeric
104	CARD_AMOUNT	596	12	Numeric
105	ANES_AMOUNT	608	12	Numeric
106	LAB_AMOUNT	620	12	Numeric
107	RAD_AMOUNT	632	12	Numeric
108	MRI_AMOUNT	644	12	Numeric
109	OP_AMOUNT	656	12	Numeric
110	ER_AMOUNT	668	12	Numeric
111	AMBULANCE_AMOUNT	680	12	Numeric
112	PRO_FEE_AMOUNT	692	12	Numeric
113	ORGAN_AMOUNT	704	12	Numeric
114	ESRD_AMOUNT	716	12	Numeric
115	CLINIC_AMOUNT	728	12	Numeric
116	TOTAL_CHARGES	740	12	Numeric
117	TOTAL_NON_COV_CHARGES	752	12	Numeric
118	TOTAL_CHARGES Ancil	764	12	Numeric
119	TOTAL_NON_COV_CHARGES Ancil	776	12	Numeric
120	PHYSICIAN_1_INDEX_NUMBER	788	10	Alphanumeric
121	PHYSICIAN_2_INDEX_NUMBER	798	10	Alphanumeric
122	CERTIFICATION_STATUS	808	1	Alphanumeric
123	INPUT_FORMAT	809	1	Alphanumeric

Classification Data File

NUMBER	FIELD NAME	POSITION	LENGTH	FIELD TYPE
1	RECORD_ID- Does NOT match the THCIC RECORD_ID in Research Data Files (RDF's)	1	12	Alphanumeric
2	CCS_PRINC_DIAG_CODE	13	4	Alphanumeric
3	CCS_OTHER_DIAG_CODE_1	17	4	Alphanumeric
4	CCS_OTHER_DIAG_CODE_2	21	4	Alphanumeric
5	CCS_OTHER_DIAG_CODE_3	25	4	Alphanumeric
6	CCS_OTHER_DIAG_CODE_4	29	4	Alphanumeric
7	CCS_OTHER_DIAG_CODE_5	33	4	Alphanumeric
8	CCS_OTHER_DIAG_CODE_6	37	4	Alphanumeric

9	CCS_OTHER_DIAG_CODE_7	41	4	Alphanumeric
10	CCS_OTHER_DIAG_CODE_8	45	4	Alphanumeric
11	CCS_OTHER_DIAG_CODE_9	49	4	Alphanumeric
12	CCS_OTHER_DIAG_CODE_10	53	4	Alphanumeric
13	CCS_OTHER_DIAG_CODE_11	57	4	Alphanumeric
14	CCS_OTHER_DIAG_CODE_12	61	4	Alphanumeric
15	CCS_OTHER_DIAG_CODE_13	65	4	Alphanumeric
16	CCS_OTHER_DIAG_CODE_14	69	4	Alphanumeric
17	CCS_OTHER_DIAG_CODE_15	73	4	Alphanumeric
18	CCS_OTHER_DIAG_CODE_16	77	4	Alphanumeric
19	CCS_OTHER_DIAG_CODE_17	81	4	Alphanumeric
20	CCS_OTHER_DIAG_CODE_18	85	4	Alphanumeric
21	CCS_OTHER_DIAG_CODE_19	89	4	Alphanumeric
22	CCS_OTHER_DIAG_CODE_20	93	4	Alphanumeric
23	CCS_OTHER_DIAG_CODE_21	97	4	Alphanumeric
24	CCS_OTHER_DIAG_CODE_22	101	4	Alphanumeric
25	CCS_OTHER_DIAG_CODE_23	105	4	Alphanumeric
26	CCS_OTHER_DIAG_CODE_24	109	4	Alphanumeric
27	CCS_PROC_CODE_1	113	3	Alphanumeric
28	CCS_PROC_CODE_2	116	3	Alphanumeric
29	CCS_PROC_CODE_3	119	3	Alphanumeric
30	CCS_PROC_CODE_4	122	3	Alphanumeric
31	CCS_PROC_CODE_5	125	3	Alphanumeric
32	CCS_PROC_CODE_6	128	3	Alphanumeric
33	CCS_PROC_CODE_7	131	3	Alphanumeric
34	CCS_PROC_CODE_8	134	3	Alphanumeric
35	CCS_PROC_CODE_9	137	3	Alphanumeric
36	CCS_PROC_CODE_10	140	3	Alphanumeric
37	CCS_PROC_CODE_11	143	3	Alphanumeric
38	CCS_PROC_CODE_12	146	3	Alphanumeric
39	CCS_PROC_CODE_13	149	3	Alphanumeric
40	CCS_PROC_CODE_14	152	3	Alphanumeric
41	CCS_PROC_CODE_15	155	3	Alphanumeric
42	CCS_PROC_CODE_16	158	3	Alphanumeric
43	CCS_PROC_CODE_17	161	3	Alphanumeric
44	CCS_PROC_CODE_18	164	3	Alphanumeric
45	CCS_PROC_CODE_19	167	3	Alphanumeric
46	CCS_PROC_CODE_20	170	3	Alphanumeric
47	CCS_PROC_CODE_21	173	3	Alphanumeric
48	CCS_PROC_CODE_22	176	3	Alphanumeric
49	CCS_PROC_CODE_23	179	3	Alphanumeric
50	CCS_PROC_CODE_24	182	3	Alphanumeric
51	CCS_PROC_CODE_25	185	3	Alphanumeric
52	FINAL_EAPG_CATEGORY_CODE_1	188	2	Alphanumeric
53	FINAL_EAPG_CATEGORY_CODE_2	190	2	Alphanumeric
54	FINAL_EAPG_CATEGORY_CODE_3	192	2	Alphanumeric
55	FINAL_EAPG_CATEGORY_CODE_4	194	2	Alphanumeric
56	FINAL_EAPG_CATEGORY_CODE_5	196	2	Alphanumeric
57	FINAL_EAPG_CATEGORY_CODE_6	198	2	Alphanumeric
58	FINAL_EAPG_CATEGORY_CODE_7	200	2	Alphanumeric
59	FINAL_EAPG_CATEGORY_CODE_8	202	2	Alphanumeric
60	FINAL_EAPG_CATEGORY_CODE_9	204	2	Alphanumeric
61	FINAL_EAPG_CATEGORY_CODE_10	206	2	Alphanumeric

62	FINAL_EAPG_TYPE_CODE_1	208	2	Alphanumeric
63	FINAL_EAPG_TYPE_CODE_2	210	2	Alphanumeric
64	FINAL_EAPG_TYPE_CODE_3	212	2	Alphanumeric
65	FINAL_EAPG_TYPE_CODE_4	214	2	Alphanumeric
66	FINAL_EAPG_TYPE_CODE_5	216	2	Alphanumeric
67	FINAL_EAPG_TYPE_CODE_6	218	2	Alphanumeric
68	FINAL_EAPG_TYPE_CODE_7	220	2	Alphanumeric
69	FINAL_EAPG_TYPE_CODE_8	222	2	Alphanumeric
70	FINAL_EAPG_TYPE_CODE_9	224	2	Alphanumeric
71	FINAL_EAPG_TYPE_CODE_10	226	2	Alphanumeric
72	FINAL_EAPG_1	228	5	Alphanumeric
73	FINAL_EAPG_2	233	5	Alphanumeric
74	FINAL_EAPG_3	238	5	Alphanumeric
75	FINAL_EAPG_4	243	5	Alphanumeric
76	FINAL_EAPG_5	248	5	Alphanumeric
77	FINAL_EAPG_6	253	5	Alphanumeric
78	FINAL_EAPG_7	258	5	Alphanumeric
79	FINAL_EAPG_8	263	5	Alphanumeric
80	FINAL_EAPG_9	268	5	Alphanumeric
81	FINAL_EAPG_10	273	5	Alphanumeric
82	EAPG_GRP_VER	278	12	Alphanumeric
83	CRG_STATUS_1	290	1	Alphanumeric
84	CRG_STATUS_2	291	1	Alphanumeric
85	CRG_STATUS_3	292	1	Alphanumeric
86	CRG_STATUS_4	293	1	Alphanumeric
87	CRG_STATUS_5	294	1	Alphanumeric
88	CRG_STATUS_6	295	1	Alphanumeric
89	CRG_STATUS_7	296	1	Alphanumeric
90	CRG_STATUS_8	297	1	Alphanumeric
91	CRG_STATUS_9	298	1	Alphanumeric
92	CRG_STATUS_10	299	1	Alphanumeric
93	CRG_CODE_1	300	5	Alphanumeric
94	CRG_CODE_2	305	5	Alphanumeric
95	CRG_CODE_3	310	5	Alphanumeric
96	CRG_CODE_4	315	5	Alphanumeric
97	CRG_CODE_5	320	5	Alphanumeric
98	CRG_CODE_6	325	5	Alphanumeric
99	CRG_CODE_7	330	5	Alphanumeric
100	CRG_CODE_8	335	5	Alphanumeric
101	CRG_CODE_9	340	5	Alphanumeric
102	CRG_CODE_10	345	5	Alphanumeric
103	CRG_SEVERITY_1	350	1	Alphanumeric
104	CRG_SEVERITY_2	351	1	Alphanumeric
105	CRG_SEVERITY_3	352	1	Alphanumeric
106	CRG_SEVERITY_4	353	1	Alphanumeric
107	CRG_SEVERITY_5	354	1	Alphanumeric
108	CRG_SEVERITY_6	355	1	Alphanumeric
109	CRG_SEVERITY_7	356	1	Alphanumeric
110	CRG_SEVERITY_8	357	1	Alphanumeric
111	CRG_SEVERITY_9	358	1	Alphanumeric
112	CRG_SEVERITY_10	359	1	Alphanumeric
113	APC_PROCEDURE_CODE_1	360	5	Alphanumeric
114	APC_PROCEDURE_CODE_2	365	5	Alphanumeric

115	APC_PROCEDURE_CODE_3	370	5	Alphanumeric
116	APC_PROCEDURE_CODE_4	375	5	Alphanumeric
117	APC_PROCEDURE_CODE_5	380	5	Alphanumeric
118	APC_PROCEDURE_CODE_6	385	5	Alphanumeric
119	APC_PROCEDURE_CODE_7	390	5	Alphanumeric
120	APC_PROCEDURE_CODE_8	395	5	Alphanumeric
121	APC_PROCEDURE_CODE_9	400	5	Alphanumeric
122	APC_PROCEDURE_CODE_10	405	5	Alphanumeric
123	APC_PX_STATUS_IND_CODE_1	410	2	Alphanumeric
124	APC_PX_STATUS_IND_CODE_2	412	2	Alphanumeric
125	APC_PX_STATUS_IND_CODE_3	414	2	Alphanumeric
126	APC_PX_STATUS_IND_CODE_4	416	2	Alphanumeric
127	APC_PX_STATUS_IND_CODE_5	418	2	Alphanumeric
128	APC_PX_STATUS_IND_CODE_6	420	2	Alphanumeric
129	APC_PX_STATUS_IND_CODE_7	422	2	Alphanumeric
130	APC_PX_STATUS_IND_CODE_8	424	2	Alphanumeric
131	APC_PX_STATUS_IND_CODE_9	426	2	Alphanumeric
132	APC_PX_STATUS_IND_CODE_10	428	2	Alphanumeric
133	APC_WEIGHT_1	430	9	Alphanumeric
134	APC_WEIGHT_2	439	9	Alphanumeric
135	APC_WEIGHT_3	448	9	Alphanumeric
136	APC_WEIGHT_4	457	9	Alphanumeric
137	APC_WEIGHT_5	466	9	Alphanumeric
138	APC_WEIGHT_6	475	9	Alphanumeric
139	APC_WEIGHT_7	484	9	Alphanumeric
140	APC_WEIGHT_8	493	9	Alphanumeric
141	APC_WEIGHT_9	502	9	Alphanumeric
142	APC_WEIGHT_10	511	9	Alphanumeric
143	APC_GRP_VER	520	12	Alphanumeric

Charges Data File

NUMBER	FIELD NAME	POSITION	LENGTH	FIELD TYPE
1	RECORD_ID - Does NOT match the THCIC RECORD_ID in Research Data Files (RDF's)	1	12	Alphanumeric
2	REVENUE_CODE	13	4	Alphanumeric
3	HCPCS_QUALIFIER	17	2	Alphanumeric
4	HCPCS_PROCEDURE_CODE	19	5	Alphanumeric
5	MODIFIER_1	24	2	Alphanumeric
6	MODIFIER_2	26	2	Alphanumeric
7	MODIFIER_3	28	2	Alphanumeric
8	MODIFIER_4	30	2	Alphanumeric
9	UNIT_MEASUREMENT_CODE	32	2	Alphanumeric
10	UNITS_OF_SERVICE	34	7	Numeric
11	UNIT_RATE	41	12	Numeric
12	CHRGs_LINE_ITEM	53	14	Numeric
13	CHRGs_NON_COV	67	14	Numeric

Facility Type Data File

NUMBER	FIELD NAME	POSITION	LENGTH	FIELD TYPE
1	THCIC_ID	1	6	Alphanumeric
2	PROVIDER_NAME	7	55	Alphanumeric
3	FAC_TEACHING_IND	62	1	Alphanumeric
4	FAC_PSYCH_IND	63	1	Alphanumeric
5	FAC_REHAB_IND	64	1	Alphanumeric
6	FAC_ACUTE_CARE_IND	65	1	Alphanumeric
7	FAC_SNF_IND	66	1	Alphanumeric
8	FAC_LONG_TERM_AC_IND	67	1	Alphanumeric
9	FAC_OTHER_LTC_IND	68	1	Alphanumeric
10	FAC_PEDS_IND	69	1	Alphanumeric
11	FAC_CARDIOVASCULAR_IND	70	1	Alphanumeric
12	FAC_CHIROPRACTIC_IND	71	1	Alphanumeric
13	FAC_ENDOSCOPY_IND	72	1	Alphanumeric
14	FAC_FOOT_IND	73	1	Alphanumeric
15	FAC_GASTROENTEROLOGY_IND	74	1	Alphanumeric
16	FAC_GENERAL_IND	75	1	Alphanumeric
17	FAC_NEUROLOGICAL_IND	76	1	Alphanumeric
18	FAC_OB-GYN_IND	77	1	Alphanumeric
19	FAC_OPHTHAMOLOGY_IND	78	1	Alphanumeric
20	FAC_ORAL_IND	79	1	Alphanumeric
21	FAC_ORTHOPEDIC_IND	80	1	Alphanumeric
22	FAC_OTOLARYNGOLOGY_IND	81	1	Alphanumeric
23	FAC_PAIN MNGMT_IND	82	1	Alphanumeric
24	FAC_PLASTIC_IND	83	1	Alphanumeric
25	FAC_THORACIC_IND	84	1	Alphanumeric
26	FAC_UROLOGY_IND	85	1	Alphanumeric
27	FAC_OTHER_IND	86	1	Alphanumeric